
THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PROP WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.



REV.

## NOTES:

TAPE AND REEL SPECIFICATIONS:

- 1. TAPE:
  - MAT'L ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD

**DESCRIPTION** 

2 REEL:

DATE

13.0 [330.2] DIA. 1500 PIECES OF PART NO. 3583 PER REEL


3. KAPTON TAPE TO BE APPLIED TO TOP SURFACE OF FUSE CLIP FOR VACUUM PICK AND PLACE


KEYSTONE ELECTRONICS CORP.							
www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500							
PART NAME							
SM MINI-AUTO BLADE CLIP ON TAPE							
MATERIAL							
AS NOTED							
FINISH	DRN BY NT	2.13.18					
AS NOTED	APP'D RH	SCALE X					
TOLERANCES INCH [MM] CODE	DWG NO.						
DECIMAL ± 0.15 [± 0.38 ] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	3583KTR						


THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.

## **ACTUAL SIZE**









## KEYSTONE ELECTRONICS CORP.

www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900

PART NAME

SM MINI-AUTO BLADE FUSE CLIP

MATERIAL

.016 [0.40] TH'K BRASS

	1010 [0:10] 11111 [0:10]					
	FINISH NATTE TIMEDLA		DRN BY	NT	4.06.17	
		416	APP'D	LN	SCALE 4X	
	TOLERANCES INCH [MM]	CODE	DWG	NO.		
REV.	DECIMAL ±.005 [±0.13] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	С		3	3583	

DATE DESCRIPTION REV.

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Keystone Electronics: 3583KTR