

NOTES:

TAPE AND REEL SPECIFICATIONS:

1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER  
ANSI/EIA-481 STANDARD  
1.260 [32.0] WIDE; 0.630 [16.0] PITCH

2. REEL:

13.0 [330.2] DIA. 500 PIECES OF  
PART NO. 3588 PER REEL.




3. MSL PACKAGING 500 PER BAG

9.14.23	CHANGE AS PER ECN 23-155	A
DATE	DESCRIPTION	REV.


KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500			
PART NAME			
SM MINI AUTO-FUSE HOLDER ON TAPE			
MATERIAL			
AS NOTED			
FINISH		DRN BY	DATE
AS NOTED		NT	10.13.09
		APP'D	SCALE
		RH	X
TOLERANCES	INCH [MM]	CODE	DWG NO.
DECIMAL	$\pm .015$ [ $\pm 0.38$ ]	C	3588TR
ANGULAR	$\pm 1^\circ$		
UNLESS OTHERWISE SPECIFIED			

# ACTUAL SIZE

THIS DOCUMENT IS THE PROPERTY OF  
KEYSTONE ELECTRONICS CORP. AND  
SHALL NOT BE REPRODUCED, DISTRIBUTED  
OR USED AS A BASIS FOR MANUFACTURE  
WITHOUT PRIOR WRITTEN PERMISSION  
FROM KEYSTONE ELECTRONICS CORP.



## NOTE:

- BASE: MAT'L:  
MAT'L: HEAT RESISTANCE NYLON  
STANYL 46 OR EQUIVALENT
- CLIP: MAT'L: .016 [0.40] TH'K BRASS, CDA 260  
MATTE TIN PLATE
- FUSE HOLDER SUPPLIED IN MSL-2 PACKAGING
-  FILE NUMBER: E354010

1.08.24	CHANGE AS PER ECN 24-022	G
9.15.23	CHANGE AS PER ECN 23-158	F
6.27.16	CHANGE AS PER ECN 16-069	E
1.13.15	CHANGE AS PER ECN 15-006	D
12.19.13	CHANGE AS PER ECN 13-115	C
6.17.10	CHANGE AS PER ECN 10-042	B
10.19.09	CHANGE AS PER ECN 09-150	A
DATE	DESCRIPTION	REV.

<b>KEYSTONE ELECTRONICS CORP.</b>		
www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500		
PART NAME		
SM MINI AUTO-FUSE HOLDER		
MATERIAL		
AS NOTED		
FINISH		DRN BY
AS NOTED		NT
DATE		5.06.09
APP'D		MR
SCALE		3X
TOLERANCES	INCH [MM]	CODE
DECIMAL	$\pm .010$ [ $\pm 0.25$ ]	C
ANGULAR	$\pm 1^\circ$	
UNLESS OTHERWISE SPECIFIED		DWG NO.
		3588

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Keystone Electronics:](#)

[3588TR](#)