

Open-Q[™] 660 µSOM Development Kit

Based on the Qualcomm[®] Snapdragon[™] SDA660 processor

Intrinsyc's Open-Q[™] 660 µSOM Development Kit is a cost-effective, high performance, exposed board platform powered by the advanced Qualcomm[®] Snapdragon[™] SDA660 processor on our ultra-compact "micro SOM" form factor. The Development Kit is ideal for evaluation of the Open-Q[™] 660 µSOM as well as jump-starting development of advanced, intelligent, embedded and IoT products. It supports our optional Open-Q[™] LCD / touch panel, optional 13MP camera module, and has many GPIO, sensor, audio, and other expansion interfaces.

Key Features

- Qualcomm[®] Snapdragon[™] SDA660 SoC
- Powered by ultra-compact (50x25mm) Open-Q 660 μSOM
- Open-frame Mini-ITX Form-factor Carrier Board (170x170mm)
- USB Type-C with VESA DisplayPort video output
- Android[™] 9







www.intrinsyc.com

Technical Specifications

Open-Q™ 660 µ	SOM *See the Open-Q 660 μSOM datasheet for complete de	
Processor	Qualcomm® Snapdragon™ SDA660, octa-core Kryo™ 260 CPU built on 14nm technology Qualcomm® Hexagon™ 680 DSP, Qualcomm® Adreno™ 512 GPU	
Memory/Storage	4GB dual-channel high-speed LPDDR4X SDRAM at 1866MHz + 32GB eMMC Flash in combo eMCP chip	
Wireless	Wi-Fi 802.11a/b/g/n/ac 2.4/5Ghz 2x2 MU-MIMO (WCN3990) with 5Ghz external PA & U.FL antenna connector Bluetooth 5.x	
Open-Q™ 660 µ	SOM Carrier Board	
Display	2x 4-lane MIPI DSI on display connector for optional LCD / Touch Panel to mount on carrier board VESA DisplayPort on USB Type-C connector, for up to 4K30 or 2K60 video output	
Camera	Qualcomm [®] Spectra [™] dual 14-bit ISP 3x MIPI CSI camera connectors for optional camera accessories	
Video	Video Capture up to 4K at 30fps, Video Playback 4K 30fps, H.264 (AVC), VP8	
Audio	Qualcomm [®] WCD9335 Audio Codec module on Carrier Board 1x Stereo headset jack with mic input 20pin Audio Input expansion header, 3x analog in, 3x digital in 20pin Audio Output expansion header, 5x analog out, 1x digital out	
I/O	1x USB3.0 Type-C with DisplayPort video out, 1x USB2.0 Type-A Host, microSD card socket Multiple BLSP ports (GPIO, UART, SPI, I2C buses), Sensor header, LED driver outputs	
Power Input	Input 12V/3A (power adapter incl.), or single-cell Li-ion battery (not included)	
Size	SOM: 50mm x 25mm, Carrier Board: Mini-ITX 170mm x 170mm with on-board mounting for optional LCD panel	
Software	·	
OS Support	Android [™] 9 — Note that all hardware features may not be supported by SW — see latest SW release notes for detai	





Purchasing Information

Open-Q 660 µSOM Dev Kit	Part number: QC-DB-N10003	<u>Store Link</u>	
Open-Q 660 µSOM	Part number: QC-DB-N10004	<u>Store Link</u>	
Open-Q LCD / Touch panel	Part number: QC-DB-G00005	Store Link	
Open-Q 13MP Camera	Part number: 030-0181-0101_B	Store Link	

Intrinsyc Product Design Services

Intrinsyc also offers comprehensive product development including hardware, software, mechanical engineering, as well as specialty services such as camera, audio, DSP, and RF development. Contact Intrinsyc to discuss your product design needs today:

sales@intrinsyc.com

Optional Display and Camera

Development Kit includes: Carrier board, SOM, 12V power supply, Quick Start Guide, access to full documentation, SW updates, and basic development kit support.

Specifications are subject to change without notice. Not all features listed may be supported in software. All brand or product names are trademarks or registered trademarks of their respective owners. Qualcomm Snapdragon, Qualcomm Kryo, Qualcomm Spectra, Qualcomm Adreno, Fluence and Qualcomm Hexagon are products of Qualcomm Technologies, Inc. Qualcomm IZat is a product of Qualcomm Atheros, Inc. Qualcomm, Snapdragon, Adreno, Fluence and Hexagon are trademarks of Qualcomm Incorporated, registered in the United States and other countries. Kryo, Spectra and IZat are trademarks of Qualcomm Incorporated. Used with permission. Cortex is a trademark of ARM Holding plc. Used with permission.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Lantronix: QC-DB-N10003