

The Most **Reliable** Storage For Industries

Industrial microSD H1-M



Industrial microSD H1-M

Overview

Apacer

Apacer Industrial microSD H1-M series conforming to SD3.0 specification are designed with high performance, good reliability, wide compatibility, and through UHS-I, supporting speed class up to U3. The microSD 3.0 card is capable of delivering better performance and P/E cycles by the latest firmware architecture including a powerful built-in Error Correction, Read Retry , Wear Leveling & Bad Block Management algorithms.



Feature

- Compliant with SD 3.0 Specification
- S.M.A.R.T supported
- · Wear-Leveling and Block Management
- Support SD mode and SPI mode
- Low Power Consumption
- Auto Read Refresh
- Power Failure Management



Specifications

Model	Industrial microSD H1-M
Interface	SD3.0
Form Factor	microSD
NAND Flash Type	MLC
Capacity	4G~128G
Sustained Read Performance (MB/sec)	Up to 75
Sustained Write Performance (MB/sec)	Up to 65
ECC Engine	Built-in 42-bit per 1K bytes BCH ECC
Standard Operating Temperature (°C)	-25 ~ + 85
Extended Operating Temperature (°C)	-40 ~ + 85
Storage Temperature (°C)	-40 ~ + 85
Shock	(Operating)1,500G, 0.5ms
Vibration	20Hz~80Hz/1.52mm (frequency/displacement) 80Hz~2,000Hz/20G (frequency/accelerate)
Operating Voltage	3.3 V ± 5%
Power Consumption	Operating: 155 Ma & Standby: 445 µA
Dimension (L x W x H)	15x11x1 (mm)
MTBF (hours)	>3,000,000

For more information, contact your Apacer representative

Taiwan (Headquarters) Apacer Technology Inc. Tel: +886-2-2267-8000 Fax: +886-2-2267-2261

Japan Apacer Technology Corp. Tel: +81-3-5419-2668 Fax: +81-3-5419-0018

Global Presence

Europe Apacer Technology B.V. Tel: +31-40-267-0000 Fax: +31-40-290-0686

India Apacer Technologies Pvt. Ltd. Tel: +91-80-41529061~3 Fax: +91-80-41700215 U.S.A. Apacer Memory America, Inc. Tel: +1-408-518-8699 Fax: 1-510-249-9551 China Apacer Electronic(Shanghai) Co., Ltd. Tel: +86-21-6228-9939

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Apacer:

AP-MSD04GCA-1HTM AP-MSD08GIA-1HTM AP-MSD16GIA-1HTM AP-MSD32GIA-1HTM AP-MSD32GCA-1HTM AP-MSD16GCA-1HTM AP-MSD04GIA-1HTM AP-MSD08GCA-1HTM