POWR-GARD® Blocks & Holders LSCR SERIES HIGH-SPEED FUSE BLOCKS

700 V • 1000 V • 1500 V











Description

Littelfuse LSCR series is a comprehensive line of modular fuse blocks, designed to accommodate a wide range of high-speed and UL power fuses. These LSCR series blocks have a modular stud-type design that enables easy mounting in panel boards.

Features/Benefits

- Modular design reduces inventory requirements
- Sold in pairs for convenience
- Supplied with nut and belleville washer

Specifications

Voltage Rating Ampere Rating Withstand Rating **Approvals**

Material Base Terminal Construction Flammability Rating **Environmental Country of Origin**

700 V / 1000 V / 1500 V 400 A, 800 A and 1200 A 200 kA / 250 kA UL Recognized (File: E14721) cURus Recognized (E14721) CSA Certified (File: 73160) Molded phenolic or thermoplastic Steel, zinc-plated UL 94 V-0 RoHS compliant

LSCR0xx - China LSCR1xx - USA


Web Resources


For more information, visit: Littelfuse.com/LSCR


Electrical & Mechanical Specifications

| CATALOG/ ORDERING | AMPERE RATING | VOLTAGE RATING | | INTERRUPTING RATING | | INSUL | | TED STUD QUE | MOUNTING FASTNER SIZE | FAST | ESTED ENER QUE | | AGENC' PPROVA | | |
|----------------------|------------------|-------------------|--------|------------------------|--------|-----------------|--------------------------|-----------------|-----------------------------|------|----------------------|---------|------------------|-------|-----|
| NUMBER | HAIING | AC | DC | AC | DC | MATERIAL | MAX. BASE TEMPERATURE | (in.lbs) | (N•m) | Mou | (in.lbs) | (N•m) | UR | cURus | CSA |
| LSCR001 | 400 A | 700 V | 1500 V | 200 kA | 250 kA | Molded Phenolic | 150 °C (302 °F) | 61 | 6.8 | #10 | 20–25 | 2.3-2.8 | • | | • |
| LSCR002 | 800 A | 700 V | 1500 V | 200 kA | 250 kA | Molded Phenolic | 150 °C (302 °F) | 192 | 21.6 | #10 | 20–25 | 2.3-2.8 | • | | • |
| LSCR101 | 400 A | 1000 V | 1000 V | 200 kA | 200 kA | Thermoplastic | 125 °C (257 °F) | 67.5-82.5 | 7.6-9.3 | #10 | 12 max | 1.3 max | | • | |
| LSCR102 | 800 A | 1000 V | 1000 V | 200 kA | 200 kA | Thermoplastic | 125 °C (257 °F) | 207–253 | 23.4-28.6 | #10 | 12 max | 1.3 max | | • | |
| LSCR103 | 1200 A | 1000 V | 1000 V | 200 kA | 200 kA | Thermoplastic | 125 °C (257 °F) | 270-330 | 30.5-37.3 | 1/4" | 12 max | 1.3 max | | • | |

Dimensions mm (inches)







54 [2, 13]

LSCR102 LSCR103



POWR-GARD® Blocks & Holders LSCR SERIES HIGH-SPEED FUSE BLOCKS

High-Speed Fuse Block Selection Guide

| | CATALOG NUMBER | LSCR001 | LSCR002 | LSCR101 | LSCR102 | LSCR103 | |
|-------------|----------------|--------------------|--------------------|--------------|--------------|--------------|--|
| FUSE SERIES | TERMINAL SIZE | 1/4-20 UNC | 3/8-16 UNC | 1/4-20 UNC | 3/8-16 UNC | 1/2-13 UNC | |
| rost strits | VOLTAGE RATING | 700 V ac/1500 V dc | 700 V ac/1500 V dc | 1000 V ac/dc | 1000 V ac/dc | 1000 V ac/dc | |
| | AMPERE RATING | 400 A | 800 A | 400 A | 800 A | 1200 A | |
| L15S | 70-400 | X | | Χ | | | |
| | 500-800 | | X | | X | | |
| L17T | 70–250 | X | | Χ | | | |
| | 300-800 | | X | | X | | |
| L25S | 35–200 | X | | Χ | | | |
| | 225-800 | | X | | X | | |
| | 35–200 | X | | Χ | | | |
| L50S | 225-800 | | X | | X | | |
| | 700-800 | | | | | X | |
| | 35–200 | X | | Χ | | | |
| L50QS | 225-800 | | X | | X | | |
| | 700-800 | | | | | X | |
| | 35–200 | X | | Χ | | | |
| L60S | 225-800 | | X | | X | | |
| | 700-800 | | | | | Х | |
| KLC | 35-60 | X | | Χ | | | |
| | 70-800 | | X | | X | | |
| | 225-800 | | | | | Х | |
| | 35-100 | X | | Χ | | | |
| L70S | 125-800 | | X | | X | | |
| | 450-800 | | | | | Х | |
| | 35–100 | X | | Χ | | | |
| L70QS | 125-800 | | X | | Х | | |
| | 450-800 | | | | | Х | |
| JLLN | 70–200 | X | | Χ | | | |
| | 225-800 | | X | | X | | |
| | 900-1200 | | | | | Х | |
| JLLS | 70–200 | X | | Χ | | | |
| | 225-800 | | X | | X | | |
| | 900-1200 | | | | | Х | |
| | 70–100 | X | | Χ | | | |
| | 110-200 | X | | Χ | | | |
| JLS | 225-400 | | X | | X | | |
| | 450-600 | | X | | X | | |
| | 70–100 | X | | Х | | | |
| 0== : | 125–200 | X | | Χ | | | |
| SPFJ | 250-400 | | X | | Х | | |
| | 450 | | | | | Х | |
| | 35–100 | X | | Χ | | | |
| L75QS | 125-800 | | X | | X | | |
| | 450-800 | | | | | Х | |



POWR-GARD® Blocks & Holders LSCR SERIES HIGH-SPEED FUSE BLOCKS

High-Speed Fuse Block Selection Guide

| | CATALOG NUMBER | LSCR001 | LSCR002 | LSCR101 | LSCR102 | LSCR103 |
|-------------|----------------|--------------------|--------------------|--------------|--------------|--------------|
| FUOE OFFICE | TERMINAL SIZE | 1/4-20 UNC | 3/8-16 UNC | 1/4-20 UNC | 3/8-16 UNC | 1/2-13 UNC |
| FUSE SERIES | VOLTAGE RATING | 700 V ac/1500 V dc | 700 V ac/1500 V dc | 1000 V ac/dc | 1000 V ac/dc | 1000 V ac/dc |
| | AMPERE RATING | 400 A | 800 A | 400 A | 800 A | 1200 A |
| ESR1XLDB | 125 | | X | | | |
| ESR1XLUB | 125 | | | | | X |
| EV1K | 60-125 | X | | | | |
| EV1K | 150-600 | | X | | | |
| PSR030DL | 40-550 | | X | | | |
| PSR030DS | 40-550 | | X | | | |
| PSR030UL | 40-550 | | X | | | |
| PSR030US | 40-550 | | X | | | |
| PSR031DL | 200-800 | | X | | | |
| PSR031DS | 200-800 | | X | | | |
| PSR031UL | 200-800 | | | | | X |
| PSR031US | 200-800 | | | | | X |
| PSR032DL | 400-800 | | X | | | |
| PSR032DS | 400-800 | | X | | | |
| PSR032UL | 400-1100 | | | | | X |
| PSR032US | 400-1100 | | | | | X |
| PSR033DL | 450-800 | | X | | | |
| PSR033DS | 450-800 | | X | | | |
| PSR070DL | 50-315 | | X | | X | |
| PSR070UL | 50-315 | | X | | X | |
| PSR071DL | 160-450 | | X | | X | |
| PSR071UL | 160-450 | | | | | X |
| PSR072DL | 250-630 | | X | | X | |
| PSR072UL | 250-630 | | | | | X |
| PSR073DL | 315–700 | | X | | X | |
| PSX1XLDB | 80-700 | | X | | | |
| PSX1XLUB | 80-700 | | | | | X |
| PSX3XLDB | 450-630 | | X | | | |

Disclaimer Notice – Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability of and test each product selected for their own applications. Littlefuse products are not designed for, and may not be used in, all applications. Read complete Disclaimer Notice at **www.littelfuse.com/product-disclaimer**.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Littelfuse:

LSCR002 LSCR003 LSCR001 LSCR103 LSCR102 LSCR101