


7-17293

75705-01



Confidential Property of Cole Hersee

NOTE:
⑥ 1. ALL STL. PARTS PLATED

2. DIMENSIONS: MILLIMETERS [INCH]



④ 3. O-RING SEAL AT MTG. STEM

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D.	SCALE	DATE DRAWN
								#	EA	CS 7-29-75		1=1	5-23-75
								FINISH	COLE-HERSEE COMPANY BOSTON, MASS. 02127, U.S.A.				DATE RECEIVED
				C	ECN # 06023	2-2-06		#					
				B	25729	1-2-75		TOLERANCES	FORWARD & REVERSE SWITCH				75705-01
					ISSUED			FRACTIONAL ±					
								DECIMAL ±					

Revision Control Record

Rev.	Description of Change	ECN No.	Date
B	ADDED CH LOGO	01462	8/7/01



NOTES:

1. ALL STEEL PARTS PLATED
2. ALL DIMENSIONS ARE REF. ONLY UNLESS NOTED OTHERWISE
3. A1 & A2 CIRCUITS MUST BREAK BEFORE ANOTHER CIRCUIT MAKES
4. SILVER LAMINATED CONTACT SURFACES
5. ALL HARDWARE TO BE ASSEMBLED

Tolerances: Unless otherwise specifically noted, the following are default tolerances:

- Critical Dimensional Tolerances - ±.001"
- Surface Dimensional Tolerances - ±.001"
- Angular Dimensions - ±1.5 Deg
- Metric: Better to equivalent English Dimensional Tolerance

*** NOTE: All tolerances are Non-Cumulative. ***

Dimensional Data: All dimensions are expressed in inches except those shown in brackets [] are expressed in millimeters

*** SEE ALSO: ASSEMBLY - Non-Toleranced Reference Dimension, unless for clarification purposes only.

Used On: EX78712-02 REF
or Ref: EX70998

REGULATORY INFORMATION: This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, reproduced, or in any other way transmitted or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.

DESIGN CONTROL: It is the responsibility of the individual using/forwarding this drawing to ensure that the latest design revision is used in accordance with the revision level of the Controlled Document (Master Drawing). This is a fully controlled document unless otherwise specifically noted.

DO NOT SCALE - Dimensional values may occur during printing/ reproduction.

Drawn By: SAM Date: 6/22/99

Key for Special Characteristics:

⬢ Critical Characteristics, relating to Safety and/or Regulatory Compliance

⬢ Significant Characteristics, relating to Process Control (PCI)

⬢ Control Dimensions relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer

⬢ Note that the identification of any Characteristics as being "Special" does not alter the requirement that ALL specified dimensions & tolerances must be met.

Responsible: N/A Pg. 1 of 1

Cole Hersee Co.

20 Old Colony Ave., South Boston, MA, 02127
Phone: 617-255-2100 Telex: 980000 colehersee


Description: SW, ROTARY 3POS

Drawing / Part No.: 75712-04

Current Rev.: B

Confidential Property of Cole Hersee

90005-01



- NOTES:
1. SILVER LAMINATED CONTACT SURFACES
2. ALL STEEL PARTS PLATED.

METRIC

DO NOT SCALE

LET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPROV'D	SCALE	DATE DRAWN
								NOTED	NB	AF		1:1	11-6-67
								FINISH					DATE BLUEPRINT
								NOTED					
								TOLERANCES					
								DECIMAL ±					
								METRIC ± .25					

CH Cole Hersee Co.
P.O. BOX 1000, WILSON, NORTH CAROLINA 27157

SW, 3POS. ROTARY

90005-01

MM	IN
.25	.010
3.04	.120
19.30	.760
35.05	1.380
38.60	1.520
52.83	2.080

NPM 6-1-77 EX-17956




DO NOT SCALE

CH-188(4-78)

WM
1.25
0.57
2.86
5.83
8.51
63.75

IN
.010
.810
.900
1.450
1.910
2.510

95593



DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL NOTED	DRAWN	CHECKED	APPRV D	SCALE	DATE DRAWN
									GAK	11-14-79		1:1	5-25-67
				G	10/23/79	11/14		FINISH NOTED					DATE BLUEPRINT
				I	69.51/11806	11/19/85							
				E	ADDED VIEWS	4-7-83		TOLERANCES					
				D	REDRAWN	11-9-79		DECIMAL ±.010 METRIC ±.25					
									 3 POSITION REVERSING SWITCH				95593

CH 188(4 78)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Littelfuse:](#)

[75705-01](#) [95593](#)