
UNCONTROLLED DOCUMENT



PART NUMBER SSF-LXH100MSRD

REV.	E.C.N. NUMBER AND REVISION COMMENTS	DATE
Α	CHANGED LEAD LENGTH.	10-8-93
В	E.C.N. #10291.	1-13-97
С	E.C.N. #10563.	2-7-00

ELECTRO-OPTICAL CHARACTERISTICS TA=25°C $I_f = 20 \text{mA}$ PARAMETER MAX UNITS TEST COND PEAK WAVELENGTH 660 nm FORWARD VOLTAGE 1.8 2.3 ۷f REVERSE VOLTAGE 4.0 V_r $I_r=100\mu A$ AXIAL INTENSITY 100 mcd $I_f = 20 \text{mA}$ VIEWING ANGLE 60 2x theta **EMITTED COLOR:** SUPER RED

LIMITS OF SAFE OPERATION AT 25°C

EPOXY LENS FINISH: RED DIFFUSED

PARAMETER	MAX	UNITS	
PEAK FORWARD CURRENT*	150	mA	
STEADY CURRENT	30	mA	
POWER DISSIPATION	105	mW	
DERATE FROM 25°C	-1.2	mW/°C	
OPERATING, STORAGE TEMP.	- 40 TO +85	. C	
SOLDERING TEMP.	+ 260	. C	
2.0mm FROM BODY		3 SEC. MAX	
* 1<10C			

* t<10µS

NOTES:

- 1. SSH-LXH100M, BLACK NYLON HOLDER, 94V-0.
- 2. SSL-LX509F3SRD, SUPER RED LED.

UNCONTROLLED DOCUMENT

*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), X.X=±0.5 (±0.020), X.XX=±0.25 (±0.010). LEAD SIZE=±0.05(±0.002), LEAD LENGTH=±0.75 (±0.030). MIN= +DECIMAL PRECISION MAX.= +0.00 -DECIMAL PRECISION MAX.= +0.00 -DECIMA

REV.

PART NUMBER SSF-LXH100MSRD

T-5mm (T-1 3/4) MATING RIGHT ANGLE FAULT INDICATOR, 660nm SUPER RED LED, RED DIFFUSED LENS.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELLEN ROAD PALATINE, ILLINOIS 60067 PHONE: (847) 359-2790 WEB: http://www.lumex.com

DRAWN BY:

BC

CHECKED BY:

APPROVED BY: DATE: 9-25-92 PAGE:

1 OF 1 SCALE: N/A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Lumex:

SSF-LXH100MSRD