
UNCONTROLLED DOCUMENT

PART NUMBER SSB-LX2685IW


REV.

| REV. | E.C.N. NUMBER AND REVISION COMMENTS | DATE |
|------|-------------------------------------|---------|
| Α | E.C.N. #10208. | 7.8.96 |
| В | E.C.N. #10BRDR, & REDRAWN. | 6.25.01 |

| | 19.05 [0.750] | | | | | | | |
|--------------|---------------|----|----|----|----|----|-----|---|
| | 16 | 15 | 14 | 13 | 12 | 11 | 1 D | 9 |
| 8.89 [0.350] | | | | | | | | |
| • | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |




| ELECTRO-OPTICAL CH | ARACTEF | RISTICS TA=25°C | | $I_f = 20 \text{mA}$ | |
|--------------------|---------|-----------------|-----|----------------------|-------------------------|
| PARAMETER | MIN | ΤΥP | MAX | UNITS | TEST COND |
| PEAK WAVELENGTH | | 635 | | nm | _ |
| FORWARD VOLTAGE | | 2.1 | 2.8 | v_f | |
| REVERSE VOLTAGE | 5.0 | | | ٧r | I _r = 1 00μΑ |
| AXIAL INTENSITY | | 80 | | mcd | $I_f = 20mA$ |
| VIEWING ANGLE | | 160 | | 2x theta | |
| EMITTED COLOR: | RED | | | | |
| EPOXY LENS FINISH: | MILKY | WHITE DIFFUSED |) | | |



10 11 14 15

9 12 13 16



LIMITS OF SAFE OPERATION AT 25°C PER CHIP

| PARAMETER | MAX | UNITS |
|--------------------------|--------------|------------|
| PEAK FORWARD CURRENT* | 150 | mA |
| STEADY CURRENT | 30 | mA |
| POWER DISSIPATION | 105 | mW |
| DERATE FROM 25°C | - 1.2 | mW∕"C |
| OPERATING, STORAGE TEMP. | - 40 TO + 85 | °C |
| SOLDERING TEMP. | + 260 | ' C |
| 2.0mm FROM BODY | | 3 SEC. MAX |
| * 1 440 C | | |

¥ t<10پS

REV. PART NUMBER
B SSB-LX26851W

19.05mm x 8.89mm LIGHT BAR,
MILKY WHITE DIFFUSED.

8

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX NO. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLISTURE AND DISSEMINATION TO ALL THRO PARTIES.

RELABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT

SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE.

PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELEN ROAD
PALATINE, IL 60067-6976
PHONE: +1.847.359.2790
US WEB: www.lumex.com

US WEB: www.lumex.com
TW WEB: www.lumex.com.tw
D BY: APPROVED BY: DATE: 4.8.93

1 OF 1

N/A

DRAWN BY: CHECKED BY: APPROVED BY: DATE:
PAGE:
SCALE:

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Lumex:

SSB-LX2685IW