

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0621006300

Status:

Active

Overview:

Application Tooling

Description:

LPH Vertical Receptacle Power Terminal Removal Tool

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207121
Comments	See Tooling Specification (PDF) Above
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	PremiumGrade
Tool Type	Extraction Hand Tool
UPC	883906174705
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers	
Application Tooling Documents	ATS-621006300-001



Series image - Reference only

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Compliant	
REACH SVHC	
Not Contained Per - D(2021)4569-DC (8 July 2021)	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207121 Series

Application Tooling Description	FAQ Product #
1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	461141012
1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	461141013
1.27mm, 12.00mm Pitch, EXTreme	461141016

	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141017 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141020 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141021 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141024 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141025 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141028 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 10 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141029 Pitch, EXTreme
	LPHPower Receptacle Header,

	Vertical, 10 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141032 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141033 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141036 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141037 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141040 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461141041 Pitch, EXTreme LPHPower Receptacle Header, Vertical, 10 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461141212 Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power	
--	---	--

	Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141213</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141216</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141217</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141220</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141221</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141224</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	
--	---	--

	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461141225</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461141228</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461141229</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461141232</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461141233</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461141236</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	<u>461141237</u>

	Pin, 12 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141240</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141241</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 12 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141412</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141413</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141416</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141417</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides
--	---

	1.27mm, 12.00mm <u>461141420</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, with BMI Guides
	1.27mm, 12.00mm <u>461141421</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, without BMI Guides
	1.27mm, 12.00mm <u>461141424</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, with BMI Guides
	1.27mm, 12.00mm <u>461141425</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, without BMI Guides
	1.27mm, 12.00mm <u>461141428</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides
	1.27mm, 12.00mm <u>461141429</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides
	1.27mm, 12.00mm <u>461141432</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant

	Pin, 14 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141433</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141436</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141437</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461141440</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461141441</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 14 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461142120</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 2 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides
--	---

	1.27mm, 12.00mm	<u>461142121</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 12 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461142160</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 16 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461142161</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 16 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461142200</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 20 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461142201</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 20 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461142240</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 24 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461142241</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 2 Power	
	Contacts, 24 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461142280</u>
	Pitch, EXTreme	

	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461142281 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461142320 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461142321 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461142360 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461142361 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm 461142400 Pitch, EXTreme
	LPHPower Receptacle Header, Vertical, 2 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm 461142401 Pitch, EXTreme
	LPHPower Receptacle Header,

	Vertical, 2 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144120</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144121</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144160</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144161</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144200</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144201</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144240</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 24 Signal
--	---

	Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144241</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144280</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144281</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144320</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144321</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm <u>461144360</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm <u>461144361</u> Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 36 Signal Contacts, Select
--	--

Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 4 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 6 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 6 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 6 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, 6 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461144400</u>
	<u>461144401</u>
	<u>461146120</u>
	<u>461146121</u>
	<u>461146160</u>
	<u>461146161</u>
	<u>461146320</u>

	1.27mm, 12.00mm	<u>461146321</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 6 Power	
	Contacts, 32 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461146360</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 6 Power	
	Contacts, 36 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461146361</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 6 Power	
	Contacts, 36 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461146400</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 6 Power	
	Contacts, 40 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461146401</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, 6 Power	
	Contacts, 40 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	
	1.27mm, 12.00mm	<u>461148120</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, Compliant	
	Pin, 8 Power	
	Contacts, 12 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	with BMI Guides	
	1.27mm, 12.00mm	<u>461148121</u>
	Pitch, EXTreme	
	LPHPower	
	Receptacle Header,	
	Vertical, Compliant	
	Pin, 8 Power	
	Contacts, 12 Signal	
	Contacts, Select	
	Gold (Au) Plating,	
	without BMI Guides	

	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461148160</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 16 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461148161</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461148200</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 20 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461148201</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	<u>461148240</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant Pin, 8 Power Contacts, 24 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	<u>461148241</u>
	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	<u>461148280</u>

Pin, 8 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	
1.27mm, 12.00mm	<u>461148281</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	
1.27mm, 12.00mm	<u>461148320</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	
1.27mm, 12.00mm	<u>461148321</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 32 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	
1.27mm, 12.00mm	<u>461148360</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	
1.27mm, 12.00mm	<u>461148361</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	
1.27mm, 12.00mm	<u>461148400</u>
Pitch, EXTreme LPHPower Receptacle Header, Vertical, Compliant	
Pin, 8 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	

1.27mm, 12.00mm 461148401
Pitch, EXTreme
LPHPower
Receptacle Header,
Vertical, Compliant
Pin, 8 Power
Contacts, 40 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides

This document was generated on 08/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62100-6300](#)