

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0622030585

Status:

Active

Overview:

Application Tooling

Description:


Impact Backplane Press-In Tool

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	887191189666
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info	
Reference - Drawing Numbers	ATS-62203-0585, ATS-622030585
Application Tooling Documents	



Series image - Reference only

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Not Reviewed	
REACH SVHC	
Not Reviewed	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207123 Series

Use With

76985 , 76986 Impact 100 Ohm Vertical Orthogonal Backplane Signal Module Assembly, (5-Pair by 12 Column Assemblies)

Application Tooling Description	FAQ Product #
Impact 100 Ohm 5 Pair Vertical Orthogonal Header Unguided, Open Endwall, 12 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	769851208
Impact 100 Ohm 5 Pair Vertical Orthogonal Header Unguided, Dual Endwall, 12	769851228

Columns, 180	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>769853208</u>
5 Pair Vertical	
Orthogonal Header	
Left Guide, Open	
Endwall, 12	
Columns, 180	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>769855208</u>
5 Pair Vertical	
Orthogonal Header	
Right Guide,	
Open Endwall,	
12 Columns, 180	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>769859208</u>
5 Pair Vertical	
Orthogonal Header	
Right Guide,	
Left Endwall, 12	
Columns, 180	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62203-0585](#)