

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION


Part Number: [0638246300](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Extraction Toolkit for MXP120 Sealed Connection System

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Application Tooling
Series	207121
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	MXP120 Sealed
Tool Type	Extraction Hand Tool
UPC	889056933964
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-638246300-001](#)



Series image - Reference only

EU ELV Not Reviewed	
EU RoHS Not Reviewed REACH SVHC Not Reviewed Halogen-Free Status Not Reviewed	China RoHS
For more information, please visit Contact US	
China ROHS	Not Reviewed
ELV	Not Reviewed
RoHS Phthalates	Not Reviewed

Search Parts in this Series
[207121](#) Series

Application Tooling Description	FAQ Product #
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 1, Key A	348992010
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key A	348992070

	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key B	<u>348992071</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Black Housing (T3-V2-S3), Backshell Interface Option 2, Key A	<u>348992080</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Light Gray Housing (T3-V2-S3), Backshell Interface Option 2, Key B	<u>348992081</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 2 Circuit, Dark Gray Housing (T3-V2-S3), Backshell Interface Option 2, Key C	<u>348992082</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 3 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key A	<u>348993070</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 3 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key B	<u>348993071</u>
	MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 3 Circuit, Black Housing (T3-V2-S3 / T4-V4-S3), Backshell	<u>348993080</u>

Interface Option 2, Key A	
MXP120 Sealed Male Blade	<u>348993081</u>
Connector with 7.00mm Clip-Slot, 3 Circuit, Light Gray Housing (T3-V2-S3 / T4-V4-S3), Backshell	
Interface Option 2, Key B	
MXP120 Sealed Male Blade	<u>348993110</u>
Connector with 11.00mm Clip-Slot, 3 Circuit, Yellow SIR Housing (T3- V2-S2 - 125°C on- engine vibration), Wire Dress Cover	
Interface Option 2, Key A	
MXP120 Sealed Male Blade	<u>348993111</u>
Connector with 11.00mm Clip-Slot, 3 Circuit, Yellow SIR Housing (T3- V2-S2 - 125°C on- engine vibration), Wire Dress Cover	
Interface Option 2, Key B	
MXP120 Sealed Male Blade	<u>348993120</u>
Connector with 11.00mm Clip-Slot, 3 Circuit, Black Housing (T3-V2-S3 / T4-V4-S3), Backshell	
Interface Option 2, Key A	
MXP120 Sealed Male Blade	<u>348993121</u>
Connector with 11.00mm Clip-Slot, 3 Circuit, Light Gray Housing (T3-V2-S3 / T4-V4-S3), Backshell	
Interface Option 2, Key B	
MXP120 Sealed Male Blade	<u>348994075</u>
Connector with 7.00mm Clip-Slot, 4 Circuit, Yellow SIR Housing (T3- V2-S2 - 125°C on- engine vibration), Wire Dress Cover	
Interface Option 2, Key F	
MXP120 Sealed Male Blade	<u>348994076</u>
Connector with	

7.00mm Clip-Slot,
4 Circuit, Yellow
SIR Housing (T3-
V2-S2 - 125°C on-
engine vibration),
Wire Dress Cover
Interface Option 2,
Key G

MXP120 Sealed	<u>348994080</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot,
4 Circuit, Black
Housing (T3-V2-
S3 / T4-V4-S3
with Backshell, T3-
V2-S2 / T4-V4-S2
without Backshell),
Backshell Interface
Option 2, Key A

Option 2, Key A	
MXP120 Sealed	<u>348994081</u>

Male Blade
Connector with
7.00mm Clip-Slot, 4
Circuit, Stone Gray
Housing (T3-V2-
S3 / T4-V4-S3 with
Backshell, T3-V2-
S2 /T4-V4-S2 without
Backshell), Backshell
Interface Option 2,
Key B

MXP120 Sealed	<u>348994082</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot,
4 Circuit, Dark Gray
Housing (T3-V2-
S3 / T4-V4-S3 with
Backshell, T3-V2-
S2 /T4-V4-S2 without
Backshell), Backshell
Interface Option 2,
Key C

MXP120 Sealed	<u>348994083</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot, 4
Circuit, Light Gray
Housing (T3-V2-
S3 / T4-V4-S3 with
Backshell, T3-V2-
S2 /T4-V4-S2 without
Backshell), Backshell
Interface Option 2,
Key D

MXP120 Sealed	<u>348994084</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot,
4 Circuit, Dark Gray
Housing (T3-V2-
S3 / T4-V4-S3 with
Backshell, T3-V2-
S2 /T4-V4-S2 without

Backshell), Backshell Interface Option 2, Key E	
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 4 Circuit, Black Housing (T3-V2-S3 / T4-V4-S3 with Backshell, T3-V2-S2 / T4-V4-S2 without Backshell), Backshell Interface Option 2, Key F	<u>348994085</u>
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 4 Circuit, Light Gray Housing (T3-V2-S3 / T4-V4-S3 with Backshell, T3-V2-S2 /T4-V4-S2 without Backshell), Backshell Interface Option 2, Key G	<u>348994086</u>
MXP120 Sealed Male Blade Connector with 11.00mm Clip-Slot, 6 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 1, Key A	<u>348996040</u>
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 6 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key A	<u>348996080</u>
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 6 Circuit, Yellow SIR Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 2, Key B	<u>348996081</u>
MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 6 Circuit, Black	<u>348996090</u>

Housing (T3-V2-S3 with Backshell, T3-V2-S2 without Backshell), Backshell Interface Option 2, Key A

MXP120 Sealed	<u>348996091</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot, 6
Circuit, Light Gray
Housing (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Backshell
Interface Option 2,
Key B

MXP120 Sealed	<u>348996092</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot,
6 Circuit, Dark Gray
Housing (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Backshell
Interface Option 2,
Key C

MXP120 Sealed	<u>348996093</u>
---------------	------------------

Male Blade
Connector with
7.00mm Clip-Slot, 6
Circuit, Stone Gray
Housing (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Backshell
Interface Option 2,
Key D

MXP120 Sealed	<u>348996110</u>
---------------	------------------

Male Blade
Connector with
11.00mm Clip-Slot,
6 Circuit, Yellow
SIR Housing (T3-
V2-S2 - 125°C on-
engine vibration),
Wire Dress Cover
Interface Option 2,
Key A

MXP120 Sealed	<u>348996111</u>
---------------	------------------

Male Blade
Connector with
11.00mm Clip-Slot,
6 Circuit, Yellow
SIR Housing (T3-
V2-S2 - 125°C on-
engine vibration),
Wire Dress Cover
Interface Option 2,
Key B

MXP120 Sealed	348996120
---------------	-----------

Male Blade
Connector with
11.00mm Clip-Slot,

	6 Circuit, Black Housing (T3-V2- S3 with Backshell, T3-V2-S2 without Backshell), Backshell Interface Option 2, Key A MXP120 Sealed <u>348996121</u> Male Blade Connector with 11.00mm Clip-Slot, 6 Circuit, Light Gray Housing (T3-V2- S3 with Backshell, T3-V2-S2 without Backshell), Backshell Interface Option 2, Key B MXP120 Sealed <u>348996122</u> Male Blade Connector with 11.00mm Clip-Slot, 6 Circuit, Dark Gray Housing (T3-V2- S3 with Backshell, T3-V2-S2 without Backshell), Backshell Interface Option 2, Key C MXP120 Sealed <u>348996123</u> Male Blade Connector with 11.00mm Clip-Slot, 6 Circuit, Stone Gray Housing (T3-V2- S3 with Backshell, T3-V2-S2 without Backshell), Backshell Interface Option 2, Key D MXP120 Sealed <u>349002101</u> Receptacle, 2 Circuit, Yellow SIR Housing (T3-V2-S2 -125°C on-engine vibration), Key A, Black Insert MXP120 Sealed <u>349002102</u> Receptacle, 2 Circuit, Yellow SIR Housing (T3-V2-S2 -125°C on-engine vibration), Key B, Light Gray Insert MXP120 Sealed <u>349002120</u> Receptacle, 2 Circuit, Black Housing (T3- V2-S3 /T4-V4-S3), Key A, Black Insert MXP120 Sealed <u>349002121</u> Receptacle, 2 Circuit, Black Housing (T3- V2-S3 /T4-V4-S3), Key B, Light Gray Insert	
--	--	--

MXP120 Sealed	<u>349003101</u>
Receptacle, 3 Circuit, Yellow SIR Housing (T3-V2-S2 -125°C on-engine vibration), Key A, Black Insert	
MXP120 Sealed	<u>349003102</u>
Receptacle, 3 Circuit, Yellow SIR Housing (T3-V2-S2 -125°C on-engine vibration), Key B, Light Gray Insert	
MXP120 Sealed	<u>349003120</u>
Receptacle, 3 Circuit, Black Housing (T3- V2-S3), Key A, Black Insert	
MXP120 Sealed	<u>349003121</u>
Receptacle, 3 Circuit, Black Housing (T3- V2-S3), Key B, Light Gray Insert	
MXP120 Sealed	<u>349003124</u>
Receptacle, 3 Circuit, Black Housing (T4- V4-S3), Key A, Black Insert	
MXP120 Sealed	<u>349003127</u>
Receptacle, 3 Circuit, Black Housing (T4- V4-S3), Key D, Stone Gray Insert	
MXP120 Sealed	<u>349004115</u>
Receptacle, 4 Circuit, Yellow SIR Housing with Long Shroud (T3-V2-S2 -125°C on-engine vibration), Key F, Black Insert	
MXP120 Sealed	<u>349004116</u>
Receptacle, 4 Circuit, Yellow SIR Housing with Long Shroud (T3-V2-S2 -125°C on-engine vibration), Key G, Light Gray Insert	
MXP120 Sealed	<u>349004120</u>
Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key A, Black Insert	
MXP120 Sealed	<u>349004121</u>
Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell),	

	Key B, Stone Gray Insert MXP120 Sealed <u>349004122</u> Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key C, Dark Gray Insert MXP120 Sealed <u>349004123</u> Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key D, Light Gray Insert MXP120 Sealed <u>349004124</u> Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key E, Dark Gray Insert MXP120 Sealed <u>349004125</u> Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key F, Black Insert MXP120 Sealed <u>349004126</u> Receptacle, 4 Circuit, Black Housing with Long Shroud (T3- V2-S3 / T4-V4-S3 with Backshell, T3- V2-S2 / T4-V4-S2 without Backshell), Key G, Light Gray Insert MXP120 Sealed <u>349006110</u> Receptacle, 6 Circuit, Yellow SIR Housing with Long Shroud (T3-V2-S2 -125°C on-engine vibration), Key A, Black Insert MXP120 Sealed <u>349006111</u> Receptacle, 6 Circuit, Yellow SIR Housing with Long Shroud (T3-V2-S2 -125°C on-engine vibration),	
--	---	--

Key B, Light Gray
Insert
MXP120 Sealed 349006119
Receptacle, 6 Circuit,
Black Housing with
Medium Shroud
(T3-V2-S3 with
Backshell, T3-V2-S2
without Backshell),
Key A, Black Insert
MXP120 Sealed 349006121
Receptacle, 6 Circuit,
Black Housing with
Medium Shroud
(T3-V2-S3 with
Backshell, T3-V2-S2
without Backshell),
Key C, Dark Gray
Insert
MXP120 Sealed 349006128
Receptacle, 6 Circuit,
Black Housing with
Medium Shroud
(T3-V2-S3 with
Backshell, T3-V2-S2
without Backshell),
Key B, Light Gray
Insert
MXP120 Sealed 349006130
Receptacle, 6 Circuit,
Black Housing with
Medium Shroud
(T3-V2-S3 with
Backshell, T3-V2-S2
without Backshell),
Key D, Stone Gray
Insert
MXP120 Sealed 349006140
Receptacle, 6 Circuit,
Black Housing with
Long Shroud (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Key A,
Black Insert
MXP120 Sealed 349006141
Receptacle, 6 Circuit,
Black Housing with
Long Shroud (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Key B,
Light Gray Insert
MXP120 Sealed 349006142
Receptacle, 6 Circuit,
Black Housing with
Long Shroud (T3-V2-
S3 with Backshell,
T3-V2-S2 without
Backshell), Key C,
Dark Gray Insert
MXP120 Sealed 349006143
Receptacle, 6 Circuit,
Black Housing with
Long Shroud (T3-V2-

S3 with Backshell,
T3-V2-S2 without
Backshell), Key D,
Stone Gray Insert

This document was generated on 07/30/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[63824-6300](#)