

PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION

**Part Number:** [0901471103](#)  
**Status:** **Active**  
**Overview:** [C-Grid Connector Products](#)  
**Description:** C-Grid PC Board Connector, Single Row, Vertical, 3 Circuits, Tin (Sn) Plating

**Documents:**

|                                                               |                                                                  |
|---------------------------------------------------------------|------------------------------------------------------------------|
| <a href="#">Drawing (PDF)</a>                                 | <a href="#">Application Specification 713080001-AS-000 (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                                | <a href="#">Application Specification 901190001-AS-000 (PDF)</a> |
| <a href="#">3D Model</a>                                      | <a href="#">Packaging Specification PK-90147-001-002 (PDF)</a>   |
| <a href="#">Product Specification PS-99020-0001-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>             |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |

**General**

|                |                                           |
|----------------|-------------------------------------------|
| Product Family | PCB Receptacles                           |
| Series         | <a href="#">90147</a>                     |
| Application    | Board-to-Board, Signal                    |
| Overview       | <a href="#">C-Grid Connector Products</a> |
| Product Name   | C-Grid                                    |
| UPC            | 800753676886                              |

**Physical**

|                                |                 |
|--------------------------------|-----------------|
| Circuits (Loaded)              | 3               |
| Circuits (maximum)             | 3               |
| Color - Resin                  | Black           |
| Flammability                   | 94V-0           |
| Glow-Wire Capable              | No              |
| Guide to Mating Part           | No              |
| Keying to Mating Part          | None            |
| Lock to Mating Part            | No              |
| Material - Metal               | Phosphor Bronze |
| Material - Plating Mating      | Tin             |
| Material - Plating Termination | Tin             |
| Material - Resin               | Polyester       |
| Net Weight                     | 1.206/g         |
| Number of Rows                 | 1               |
| Orientation                    | Vertical        |
| PC Tail Length                 | 2.90mm          |
| PCB Locator                    | No              |
| PCB Retention                  | Yes             |
| PCB Thickness - Recommended    | 1.60mm          |
| Packaging Type                 | Tube            |
| Pitch - Mating Interface       | 2.54mm          |
| Pitch - Termination Interface  | 2.54mm          |
| Plating min - Mating           | 1.016µm         |
| Plating min - Termination      | 1.016µm         |
| Polarized to PCB               | No              |
| Surface Mount Compatible (SMC) | N/A             |
| Temperature Range - Operating  | -55° to +105°C  |
| Termination Interface: Style   | Through Hole    |

**Electrical**

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 3.0A |
| Grounding to PCB              | No   |
| Voltage - Maximum             | 350V |



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[90147 Series](#)

**Mates With**

[90120](#) , [90121](#)

**Use With**

[90120](#) , [90121](#)

**Solder Process Data**

Lead-freeProcess CapabilityWAVE

**Material Info**

**Reference - Drawing Numbers**

Application Specification713080001-AS-000, 901190001-AS-000  
Packaging SpecificationPK-90147-001-002  
Product SpecificationPS-99020-0001-001  
Sales DrawingSDA-90147-001

This document was generated on 01/05/2022

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

90147-1103