

This document was generated on 02/27/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 2001991170

Status: Active

Overview: Application Tooling

**Description:** Removal Tool for 6-by-12 zX2 Daughtercards and Right-Angle Signal Modules

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series <u>207123</u>

Comments See Tooling Specification (PDF) Above

Function Removal Geographic Area Global Level of Automation Manual

More Detailed Tech Information <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>

Overview Application Tooling
Product Name Impact zX2

Tool Type Press-Fit Extraction Tool

UPC 191128230216

Warranty Disclaimer CAUTION: Molex tooling crimp specifications are


valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.

**Material Info** 

**Reference - Drawing Numbers** 

Application Tooling Documents ATS-2001991170, ATS-2001991170-001



**EU ELV** 

**Not Reviewed** 

EU RoHS China RoHS

Not Reviewed REACH SVHC Not Reviewed Halogen-Free Status

**Not Reviewed** 

For more information, please visit Contact US

China ROHS Not Reviewed ELV Not Reviewed RoHS Phthalates Not Reviewed

**Search Parts in this Series** 

207123 Series

Application Tooling | FAQ | Product #

1725401022

Impact zX2 95 Ohm 6 Pair Right-

Online Fall Right

Angle Orthogonal

Daughtercard,

Unguided, 12

Columns, 288

Circuits. Plated

Through Hole

Dimension 0.36mm,

Lead-Free

Impact zX2 95 Ohm <u>1725501207</u>

6 Pair Orthogonal Direct RAM Signal Module, Unguided, 12 Columns, 288 Circuits, Plated Through Hole

Dimension 0.36mm,

Lead-Free

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

200199-1170