




TABLE OF CONTENTS	
SHEET NO.	SHEET DESCRIPTION
3	DETAIL DIMENSION VIEW REFERENCE PCB LAYOUT




RECOMMENDED PCB LAYOUT



Partial1
SCALE 5:1

POST HOLE TABLE:

FOR DIM	E	F
PRESS FIT:	2.30	2.30
DROP IN:	2.85	2.65



FLUSH MOUNTING
HEADER-TO-PCB

FUNCTIONAL SYMBOLS $\nabla_A = 0$ $\nabla_C = 0$ $\nabla_P = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex							
	DIMENSION UNITS mm	SCALE 1:1										
	GENERAL TOLERANCES (UNLESS SPECIFIED)				34 & 38 CKT MINI50 2-BAY R/A HEADER ASSEMBLY SALES DRAWING							
	ANGULAR TOL $\pm$ °				PRODUCT CUSTOMER DRAWING							
	4 PLACES $\pm$				EC NO: 640173 DRWN: SWU31 CHK'D: CDZHANG APPR: CDZHANG		2020/06/18 2020/10/21 2020/10/21		DOCUMENT NUMBER SD-34960-0200		DOC TYPE PSD	DOC PART 001
3 PLACES $\pm$				INITIAL REVISION: DRWN: JFISCHER01 APPR: RBAUMAN		2014/03/25 2014/03/31		MATERIAL NUMBER		CUSTOMER GENERAL MARKET		SHEET NUMBER 3 OF 3
2 PLACES $\pm$				THIRD ANGLE PROJECTION		DRAWING D-SIZE		SERIES 34960				
1 PLACE $\pm$												
0 PLACES $\pm$												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[34960-0250](#) [34960-0221](#) [34960-0251](#)