



SHEET DESCRIPTION


CONFIGURATIONS




2X2 - STD.
2X2 - TRNS. - SILICONE FREE †




2X2 - STD. - WITH CLIPSLOT *




† 2X2 - UL V0




2X2 - STD. - LENGTHENED




2X3 - STD.
2X3 - TRNS. - CONTAINS SILICONE †




2X3 - STD. - WITH CLIPSLOT *




2X4 - STD.




2X4 - STD. - WITH CLIPSLOT *




† 2X4 - UL V0




† 2X4 - UL V0-WITH CLIPSLOT*




2X6 - STD.




2X6 - STD. - WITH CLIPSLOT *




† 2X6 - UL V0




2X8 - STD.




2X8 - STD. - WITH CLIPSLOT *



2X10 - STD.




2X10 - STD. - WITH CLIPSLOT *



† 2X10 - UL V0

* WITH CLIPSLOT CONFIGURATION DOES NOT MEET THE USCAR PACKAGING FRAME REQUIREMENTS


† MINOR GEOMETRY DIFFERENCE THAN STANDARD CONFIGURATION
SEE NOTES 1a & 2a-b FOR MORE INFORMATION

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex									
	= 0	mm		1:1													
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)															
	= 0	ANGULAR TOL ± 1.0 °		EC NO: 171650				MX150 RCPT DUAL ROW SEALED ASSEMBLY MAT SEAL									
	= 0	4 PLACES ±		DRWN: DDEB 2018/01/19													
	= 0	3 PLACES ±		CHK'D: MVANSLAMBROU 2018/02/16													
	= 0	2 PLACES ± 0.1		APPR: MVANSLAMBROU 2018/02/16		PRODUCT CUSTOMER DRAWING											
	= 0	1 PLACE ± 0.2		INITIAL REVISION:						DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
	= 0	0 PLACES ±		DRWN: APROFFITT 2014/05/14						SD-33472-0001		PSD		001		C2	
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
	= 0					A1-SIZE		33472				GENERAL MARKET		2 OF 11			


SHEET DESCRIPTION

KEY CONFIGURATIONS


2X2




KEY A



KEY B




KEY C




KEY D


2X3




KEY A



KEY B




KEY C




KEY D


2X4




KEY A



KEY B



KEY C




KEY D

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
⌀ = 0 ⌒ = 0 ⌓ = 0 ⌔ = 0 ⌕ = 0 ⌘ = 0 ⌚ = 0 ⌛ = 0 ⌜ = 0 ⌞ = 0 ⌟ = 0 ⌠ = 0 ⌡ = 0 ⌢ = 0 ⌣ = 0 ⌤ = 0 ⌥ = 0 ⌦ = 0 ⌧ = 0 ⌨ = 0 〈 = 0 〉 = 0 ⌫ = 0 ⌬ = 0 ⌭ = 0 ⌮ = 0 ⌯ = 0 ⌰ = 0 ⌱ = 0 ⌲ = 0 ⌳ = 0 ⌴ = 0 ⌵ = 0 ⌶ = 0 ⌷ = 0 ⌸ = 0 ⌹ = 0 ⌺ = 0 ⌻ = 0 ⌼ = 0 ⌽ = 0 ⌾ = 0 ⌿ = 0 ⋈ = 0 ⋉ = 0 ⋊ = 0 ⋋ = 0 ⋌ = 0 ⋍ = 0 ⋎ = 0 ⋏ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0 ⋬ = 0 ⋭ = 0 ⋮ = 0 ⋷ = 0 ⋸ = 0 ⋹ = 0 ⋺ = 0 ⋻ = 0 ⋼ = 0 ⋽ = 0 ⋾ = 0 ⋿ = 0 ⋐ = 0 ⋑ = 0 ⋒ = 0 ⋓ = 0 ⋔ = 0 ⋕ = 0 ⋖ = 0 ⋗ = 0 ⋘ = 0 ⋙ = 0 ⋚ = 0 ⋛ = 0 ⋜ = 0 ⋝ = 0 ⋞ = 0 ⋟ = 0 ⋠ = 0 ⋡ = 0 ⋢ = 0 ⋣ = 0 ⋤ = 0 ⋥ = 0 ⋦ = 0 ⋧ = 0 ⋨ = 0 ⋩ = 0 ⋪ = 0 ⋫ = 0																			

KEY CONFIGURATIONS CONT.



2X6



SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				KEY D molex					
mm		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 171650 DRWN: DDEB 2018/01/19 CHK'D: MVANSLAMBROU 2018/02/16 APPR: MVANSLAMBROU 2018/02/16				MX150 RCPT DUAL ROW SEAL ASSEMBLY MAT SEAL							
ANGULAR TOL ± 1.0°													
4 PLACES ±		INITIAL REVISION: DRWN: APROFFITT 2014/05/14 APPR: VKOSHY 2014/06/27				DOCUMENT NUMBER SD-33472-0001		DOC TYPE PSD		DOC PART 001		REVISION C2	
3 PLACES ±													
2 PLACES ± 0.1		THIRD ANGLE PROJECTION 				MATERIAL NUMBER A1-SIZE		CUSTOMER 33472		SHEET NUMBER GENERAL MARKET		4 OF 11	
1 PLACE ± 0.2													
0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING A1-SIZE		SERIES 33472		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 11			









SHEET DESCRIPTION

RECEPTACLE CONNECTOR ASSEMBLY




B APPLIES TO 2X2 - STD. - WITH CLIPSLOT ONLY

DESCRIPTION	DIMENSIONS						
	A	B	C	D	E	F	J
2X2 W/O CLIPSLOT	18.58	1.75	25.45	24.81	37.65	N/A	2.75±0.50
2X2 W/ CLIPSLOT	18.58	1.75	27.65	24.81	37.65	N/A	2.75±0.50
2X2 LENGTHENED	18.58	1.75	25.45	24.81	42.25	N/A	2.75±0.50
2X3 W/ CLIPSLOT	22.25	3.5	30.50	N/A	37.65	27.96	4.0±0.4
2X3 W/O CLIPSLOT	22.25	3.5	26.24	24.90	37.65	N/A	4.0±0.4
2X4 W/ CLIPSLOT	25.75	1.75	31.50	N/A	37.65	28.00	2.75±0.50
2X4 W/O CLIPSLOT	25.75	1.75	29.19	24.81	37.65	N/A	2.75±0.50
2X6 W/ CLIPSLOT	32.75	1.75	35.58	N/A	37.65	27.76	2.75±0.50
2X6 W/O CLIPSLOT	32.75	1.75	35.58	24.90	37.65	N/A	2.75±0.50
2X6 W/O CLIPSLOT V0	32.75	1.75	35.58	25.0	37.65	N/A	2.75±0.50
2X8 W/O CLIPSLOT	39.80	1.75	42.25	24.90	37.65	N/A	4.0±0.4
2X8 W/ CLIPSLOT	39.80	1.75	42.25	N/A	37.65	27.80	4.0±0.4
2X10 W/O CLIPSLOT	46.75	1.75	49.95	24.90	37.65	N/A	2.75±0.50
2X10 W/ CLIPSLOT	46.75	1.75	49.95	N/A	37.65	27.80	2.75±0.50



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN
IN PRE-STAGED POSITION

SECTION Y-Y



SECTION Z-Z

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	= 0		mm		SCALE 1:1		CURRENT REV DESC:				molex			
	= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 171650				MX150 RCPT			
	= 0		ANGULAR TOL ± 1.0°				DRWN: DDEB 2018/01/19				DUAL ROW SEALED ASSEMBLY MAT SEAL			
	= 0		4 PLACES ±				CHK'D: MVANSLAMBROU 2018/02/16				PRODUCT CUSTOMER DRAWING			
	= 0		3 PLACES ±				APPR: MVANSLAMBROU 2018/02/16				DOCUMENT NUMBER			
	= 0		2 PLACES ± 0.1				INITIAL REVISION:				DOC TYPE			
	= 0		1 PLACE ± 0.2				DRWN: APROFFITT 2014/05/14				PSD			
	= 0		0 PLACES ±				APPR: VKOSHY 2014/06/27				DOC PART			
	= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				SD-33472-0001			
	= 0						DRAWING				MATERIAL NUMBER			
	= 0						SERIES				CUSTOMER			
	= 0						A1-SIZE				GENERAL MARKET			
	= 0						33472				SHEET NUMBER			
	= 0										5 OF 11			

DOCUMENT STATUS	P1	RELEASE DATE	2018/02/16	22:02:25
-----------------	----	--------------	------------	----------

BACKSHELL NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:

- a. APPLICATION SPECIFICATION SEE: AS-34951-001
- DESIGNED TO MATE WITH RECEPTACLE SEALED ASSEMBLY SPECIFIED IN MOLEX DRAWING SD-33472-0001.
 - SYSTEM TO BE USED WITH WIRE WITHIN DIAMETER RANGE OF 1.2mm TO 2.69mm.
 - COMPONENTS ARE OPTIONAL AND MUST BE PURCHASED SEPERATELY.
 - DESIGN IS OWNED BY SCHLEMMER FOR SCHLEMMER BACKSHELL.
 - DESIGN IS OWNED BY MOLEX FOR MOLEX BACKSHELL.
 - 90° ADAPTOR DESIGN IS OWNED BY MOLEX.
 - FOR ADDITIONAL INFORMATION SEE THE BACKSHELL COMPONENT DRAWING SD-34951-0001.

BACKSHELL CUSTOMER
MODEL NUMBER LEGEND

34951-XXXX

CUSTOMER MODEL COMPONENTS

- 0 - SCHLEMMER BACKSHELL ONLY
- 1 - SCHLEMMER BACKSHELL & MX150 HOUSING KEY A ASSEMBLY
- 2 - SCHLEMMER BACKSHELL & MX150 HOUSING KEY B ASSEMBLY
- 3 - SCHLEMMER BACKSHELL & MX150 HOUSING KEY C ASSEMBLY
- 4 - SCHLEMMER BACKSHELL & MX150 HOUSING KEY D ASSEMBLY
- 5 - MOLEX BACKSHELL ONLY
- 6 - MOLEX BACKSHELL & MX150 HOUSING KEY A ASSEMBLY
- 7 - MOLEX BACKSHELL & MX150 HOUSING KEY B ASSEMBLY
- 8 - MOLEX BACKSHELL & MX150 HOUSING KEY C ASSEMBLY
- 9 - MOLEX BACKSHELL & MX150 HOUSING KEY D ASSEMBLY

BACKSHELL FEATURES

- 1 - WITH RIBS
- 2 - WITHOUT RIBS
- 3 - 90° ADAPTOR

MX150 CIRCUIT SIZE 04, 06, 08, 12, 16, 20

RECEPTACLE SEALED ASSEMBLY






BACKSHELL (BKS)

SCALE 2:1

90° ADAPTOR


SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
= 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 171650 DRWN: DDEB 2018/01/19 CHK'D: MVANSLAMBROU 2018/02/16 APPR: MVANSLAMBROU 2018/02/16 INITIAL REVISION: DRWN: APROFFITT 2014/05/14 APPR: VKOSHY 2014/06/27 THIRD ANGLE PROJECTION DRAWING A1-SIZE SERIES 33472					
		mm		1.5:1							
		GENERAL TOLERANCES (UNLESS SPECIFIED)				molex MX150 RCPT DUAL ROW SEALED ASSEMBLY MAT SEAL					
		ANGULAR TOL ± 1.0 °									
		4 PLACES		±		PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-33472-0001 DOC TYPE PSD DOC PART 001 REVISION C2					
		3 PLACES		±							
		2 PLACES		± 0.1		SHEET NUMBER 6 OF 11					
		1 PLACE		± 0.2							
		0 PLACES		±		GENERAL MARKET					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

SHEET DESCRIPTION	
SCHLEMMER BACKSHELL	




V

V








Partial V-V
SCALE 4:1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:			
		mm		4:1					
 = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				molex			
 = 0									
 = 0		ANGULAR TOL ± 1.0 °				MX150 RCPT DUAL ROW SEALED ASSEMBLY MAT SEAL			
 = 0		4 PLACES ±							
 = 0		3 PLACES ±				EC NO: 171650 DRWN: DDEB 2018/01/19 CHK'D: MVANSLAMBROU 2018/02/16 APPR: MVANSLAMBROU 2018/02/16			
 = 0		2 PLACES ± 0.1							
 = 0		1 PLACE ± 0.2				INITIAL REVISION: DRWN: APROFFITT 2014/05/14 APPR: VKOSHY 2014/06/27			
 = 0		0 PLACES ±							
 = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PRODUCT CUSTOMER DRAWING			
 = 0		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER	
				A1-SIZE		33472		SD-33472-0001	
								DOC TYPE	
								PSD	
								DOC PART	
								001	
								REVISION	
								C2	
								SHEET NUMBER	
								7 OF 11	
								GENERAL MARKET	

DOCUMENT STATUS	P1	RELEASE DATE	2018/02/16 22:02:25
-----------------	----	--------------	---------------------

SHEET DESCRIPTION	
MOLEX BACKSHELL	





SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
= 0 = 0											



DOCUMENT STATUS	P1	RELEASE DATE	2018/02/16 22:02:25
-----------------	----	--------------	---------------------

SHEET DESCRIPTION

MOLEX BACKSHELL CONFIGURATIONS





RECEPTACLE SEALED ASSEMBLY WITH RECEPTACLE BACKSHELL




ADD THE VALUE OF 'L' TO THE TOTAL DIMENSION
WHENEVER ADAPTOR IS USED

CHARTED DIMENSIONS				
DESCRIPTION	DIMENSIONS			
	J	K	L	M
2X2 W/O CLIPSLOT	TBD	TBD	TBD	TBD
2X2 W/ CLIP SLOT	TBD	TBD	TBD	TBD
2X2 LENGTHENED	TBD	TBD	TBD	TBD
2X4 W/ CLIPSLOT	58.39	32.85	32.10	44.26
2X4 W/O CLIPSLOT	N/A	N/A	N/A	N/A
2X8 W/ CLIPSLOT	67.19	42.65	36.10	56.49
2X8 W/O CLIPSLOT	N/A	N/A	N/A	N/A
2X10 W/ CLIPSLOT	67.19	42.65	36.10	56.49
2X10 W/O CLIPSLOT	N/A	N/A	N/A	N/A


SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex				
	mm		2.5:1											
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 171650 DRWN: DDEB 2018/01/19 CHK'D: MVANSLAMBROU 2018/02/16 APPR: MVANSLAMBROU 2018/02/16					MX150 RCPT DUAL ROW SEALED ASSEMBLY MAT SEAL				
 = 0														
 = 0	ANGULAR TOL ± 1.0 °				INITIAL REVISION: DRWN: APROFFITT 2014/05/14 APPR: VKOSHY 2014/06/27					PRODUCT CUSTOMER DRAWING				
 = 0	4 PLACES ±													
 = 0	3 PLACES ±				DOCUMENT NUMBER SD-33472-0001					DOC TYPE PSD		DOC PART 001		REVISION C2
 = 0	2 PLACES ± 0.1													
 = 0	1 PLACE ± 0.2				THIRD ANGLE PROJECTION 					MATERIAL NUMBER		CUSTOMER GENERAL MARKET		SHEET NUMBER 10 OF 11
 = 0	0 PLACES ±													
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING A1-SIZE		SERIES 33472							




KEYING OPTION A
SCALE 4:1




KEYING OPTION B
SCALE 4:1




KEYING OPTION C
SCALE 4:1




KEYING OPTION D
SCALE 4:1




DETAIL A
SCALE 10:1



SECTION A-A




SECTION B-B




DETAIL C

SCALE 20:1

APPLIES 2X
SEE KEYING OPTION VIEWS
FOR POSITIONS



PACKAGE FRAME



MATING INTERFACE NOTES: VALID UNLESS OTHERWISE SPECIFIED

- GENERAL:
 - DESIGNED TO MATE WITH MOLEX CONNECTOR 33472-2XXX & 160008-0XXX & 160074-0XXX
 - A FULL SHROUD ON THE MATING CONNECTOR IS REQUIRED TO INSURE THAT THE CONNECTOR-HEADER POLARIZATION FEATURES (OPTIONS A THRU D) WILL FUNCTION. THE FULL SHROUD ALSO PREVENTS SCOOP DAMAGE TO THE HEADER PINS. REFER TO 'SAE/USCAR-12 CONNECTOR DESIGN GUIDE LINES' FOR ADDITIONAL INFORMATION
 - PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: ES-40000-5016
 - FLAMMABILITY REQUIREMENT: PER ISO3795 OR GM3191
 - BURN RATE 100mm/MIN MAXIMUM
 - MATERIAL MUST BE SELF EXTINGUISHING
- MATERIALS:
 - MATERIAL: SPS/NYLON GF20, REGRIND 20% MAX BY WEIGHT
 - STANDARD COLORS FOR POLARIZATION (SEE KEYING OPTIONS TABLE). DEVIATION REQUIRES APPROVAL OF AUTHORIZED PERSON
 - FOR BLADE BASE MATERIAL, PLATING AND PROCESS LUBRICANT:
 - TIN: - BASE MATERIAL: COPPER ALLOY, CONDUCTIVITY >=60% IACS AT 20°C; TENSILE STRENGTH >= 410 N/mm² - BARRIER MATERIAL: NICKEL DEPOSIT FROM NICKEL SULFAMATE PLATING SOLUTION W/O ANY ADDITIVES THICKNESS: 1.25 - 2.25 MICROMETERS
 - TOP LAYER: 100% ELECTRO-DEPOSITED TIN, MATTE FINISH THICKNESS: 2.5 - 4.0 MICROMETERS
 - SILVER: - BARRIER MATERIAL: ELECTRO-DEPOSITED DUCTILE SULPHAMATE NICKEL THICKNESS: 1.25 - 2.25 MICROMETERS
 - TOP LAYER: ELECTRO-DEPOSITED SEMI-BRIGHT PURE SILVER (0.5% MAX IMPURITIES) OVER NICKEL ANTI-TARNISH TREATMENT EVERBRIGHT WS THICKNESS: 1.9 - 3.3 MICROMETERS
 - BLADES MUST CONFORM TO ES-40000-5007, EXCEPT FOR SPECULAR REFLECTIVITY - SECTION 6.0
 - ANY PROCESS LUBRICANT REMAINING ON THE TERMINAL MUST NOT VARNISH OR DEGRADE IT'S ELECTRICAL PERFORMANCE UP TO A MAXIMUM CLASS AMBIENT TEMPERATURE PER SAE USCAR-2 FOR 1008 HOURS, PROCESS LUBRICANTS SHOULD BE APPROVED BY THE RESPONSIBLE ENGINEER
 - INFORMATION FOR BLADE DESIGN WAS DEVELOPED FROM EWCAP DWG: EWCAP-001
- GEOMETRY:
 - THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.
 - GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994
 - GENERAL TOLERANCES: SEE TITLE BLOCK
 - EDGES AND UNDIMENSIONED DETAILS PER ISO13715
- MANUFACTURING:
 - DRAFT TO BE WITHIN TOLERANCE. PLUS DRAFT - INDICATES A DIMENSION REPRESENTS THE SMALLEST SIZE OF A FEATURE. DRAFT WILL ADD MATERIAL. MINUS DRAFT - INDICATES A DIMENSION REPRESENTS THE LARGEST SIZE OF A FEATURE. DRAFT WILL REMOVE MATERIAL.
 - ALLOWABLE FLASH MAX 0.20 HIGH BY MAX 0.13 THICK.
 - ALLOWABLE SPLIT/PARTING LINE MISMATCH 0.2 MAX.
 - VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B)
 - NO EXTERNAL MOLD RELEASE AGENT ALLOWED DURING MANUFACTURING
 - NO PARTING LINES, NO DRAFT, MISMATCHES OR EJECTOR MARKS PERMISSIBLE WITHIN SEALING SURFACE. SEALING SURFACE TOOLING TO BE PROCESSED

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex	
	= 0	DIMENSION UNITS	SCALE				
	= 0	mm	1:1				
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)					
	= 0	ANGULAR TOL	± 1.0°				
	= 0	4 PLACES	±				
	= 0	3 PLACES	±				
	= 0	2 PLACES	± 0.1				
	= 0	1 PLACE	± 0.2				
	= 0	0 PLACES	±				
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					
	= 0	THIRD ANGLE PROJECTION	DRAWING				
	= 0	A1-SIZE	33472				
				EC NO: 171650			
				DRWN: DDEB		2018/01/19	
				CHK'D: MVANSLAMBROU		2018/02/16	
				APPR: MVANSLAMBROU		2018/02/16	
				INITIAL REVISION:			
				DRWN: APROFFITT		2014/05/14	
				APPR: VKOSHY		2014/06/27	
				MATERIAL NUMBER			
				CUSTOMER			
				SHEET NUMBER			

150-S-020-2-D02	D	STONE GRAY
150-S-020-2-C02	C	DK GRAY
150-S-020-2-B02	B	LT GRAY
150-S-020-2-A02	A	BLACK

P/N	OPTION	MATING CONNECTOR COLOR

DOCUMENT STATUS	P1	RELEASE DATE	2018/02/16	22:02:25
-----------------	----	--------------	------------	----------

MX150 RCPT
DUAL ROW SEALED ASSEMBLY MAT SEAL

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	SD-33472-0001	DOC TYPE	PSD	DOC PART	001	REVISION	C2
-----------------	---------------	----------	-----	----------	-----	----------	----

GENERAL MARKET

11 OF 11

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[33472-4888](#)