

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0622018658

Status:

Active

Overview:

Application Tooling

Description:

Press-In Tool for Backplane Module


Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	PremiumGrade
Tool Type	Press-Fit Insertion Tool
UPC	883906116163
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers	
Application Tooling Documents	ATS-622018658, TM-622018799



Series image - Reference only

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Compliant	
REACH SVHC	
Not Contained Per - ECHA_01_2020 (16 January 2020)	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207123 Series

Use With
Impact Backplane Module Assembly 76055

Application Tooling Description	FAQ Product #
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	1712961105
Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150	1712961107

	Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Matte Tin, 0.254µm Gold Impact 100 Ohm <u>1712961117</u> 5 Pair Vertical Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact 100 Ohm <u>1712961127</u> 5 Pair Vertical Backplane Header, Unguided, Duel Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact 100 Ohm <u>1712961137</u> 5 Pair Vertical Backplane Header, Unguided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Matte Tin, 0.254µm Gold Impact 100 Ohm <u>760551103</u> 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760551104</u> 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760551105</u> 5 Pair Vertical Backplane Header,
--	---

	Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 760551106 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551107 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551108 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551113 5 Pair Vertical Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 760551114 5 Pair Vertical Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 760551115 5 Pair Vertical	
--	---	--

	Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 760551116 5 Pair Vertical
	Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551117 5 Pair Vertical
	Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551118 5 Pair Vertical
	Backplane Header, Unguided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 760551123 5 Pair Vertical
	Backplane Header, Unguided, Dual Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 760551124 5 Pair Vertical
	Backplane Header, Unguided, Dual Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free

	Impact 100 Ohm	<u>760551125</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Dual	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	5.50mm, Plated	
	Through Hole	
	Dimension 0.46mm,	
	Lead-Free	
	Impact 100 Ohm	<u>760551126</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Dual	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	4.50mm, Plated	
	Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>760551127</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Dual	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	4.90mm, Plated	
	Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>760551128</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Dual	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	5.50mm, Plated	
	Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>760551133</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Right	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	4.50mm, Plated	
	Through Hole	
	Dimension 0.46mm,	
	Lead-Free	
	Impact 100 Ohm	<u>760551134</u>
	5 Pair Vertical	
	Backplane Header,	
	Unguided, Right	
	Endwall, 10	
	Columns, 150	
	Circuits, Pin Length	
	4.90mm, Plated	
	Through Hole	

	Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760551135</u> 5 Pair Vertical Backplane Header, Unguided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole
	Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760551136</u> 5 Pair Vertical Backplane Header, Unguided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole
	Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760551137</u> 5 Pair Vertical Backplane Header, Unguided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole
	Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760551138</u> 5 Pair Vertical Backplane Header, Unguided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole
	Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760553103</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole
	Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760553104</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated

	Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760553105</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated
	Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760553106</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated
	Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760553107</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated
	Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760553108</u> 5 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated
	Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760555103</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated
	Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760555104</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length

	4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760555105</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760555106</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760555107</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760555108</u> 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760557103</u> 5 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760557104</u> 5 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 150
--	--

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557105

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557106

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557107

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557108

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557156

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free

Impact 100 Ohm 760559103

5 Pair Vertical
Backplane Header,
Right Guided,

	Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760559104</u> 5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760559105</u> 5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm <u>760559106</u> 5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760559107</u> 5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760559108</u> 5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>760559114</u> 5 Pair Vertical Backplane Header,	
--	---	--

Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free Impact 100 Ohm	<u>760559115</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free Impact 100 Ohm	<u>760559117</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation A, Lead-Free Impact 100 Ohm	<u>760559127</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation B, Lead-Free	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62201-8658](#)