

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0622018674

Status:

Active

Overview:

Application Tooling

Description:

Impact Backplane Press-In Tool, 3-Pair by 8-Column Assemblies

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Comments

Function

Geographic Area

Level of Automation

More Detailed Tech Information

Overview

Product Name

Tool Type

UPC

Warranty Disclaimer

Application Tooling

207123

See Tooling Specification (PDF) Above

Insertion

Global

Manual

applicationtooling@molex.com

Application Tooling

Impact

Press-Fit Insertion Tool

883906297176

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight


52.270/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-622018674-001, TM-622018799-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

China RoHS

Not Relevant

For more information, please visit

Contact US

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

207123 Series

Use With

Impact Backplane Signal Module 76165

Application Tooling Description	FAQ Product #
Impact 100 Ohm 3 Pair Vertical Backplane Header, Unguided, Open Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, MAPS, Lead Free	1712921808
Impact 100 Ohm 3 Pair Vertical Backplane Header, Unguided, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole	761651803

Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651804
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651805
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651806
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651807
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651808
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651813
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651814
3 Pair Vertical
Backplane Header,

Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761651815</u>
3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761651816</u>
3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761651817</u>
3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761651818</u>
3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761651823</u>
3 Pair Vertical Backplane Header, Unguided, Dual Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761651824</u>
3 Pair Vertical Backplane Header, Unguided, Dual Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole	

Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651825
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651826
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651827
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651828
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651833
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651834
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651835
3 Pair Vertical
Backplane Header,

Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761651836</u>
3 Pair Vertical Backplane Header, Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761651837</u>
3 Pair Vertical Backplane Header, Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761651838</u>
3 Pair Vertical Backplane Header, Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm	<u>761653803</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761653804</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761653805</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole	

Dimension 0.46mm, Lead-Free Impact 100 Ohm	<u>761653806</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761653807</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761653808</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761653867</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation F, Lead-Free	
Impact 100 Ohm	<u>761653877</u>
3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation G, Lead-Free	
Impact 100 Ohm	<u>761655803</u>
3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	

	Impact 100 Ohm	<u>761655804</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 4.90mm,	
	Plated Through Hole	
	Dimension 0.46mm,	
	Lead-Free	
	Impact 100 Ohm	<u>761655805</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 5.50mm,	
	Plated Through Hole	
	Dimension 0.46mm,	
	Lead-Free	
	Impact 100 Ohm	<u>761655806</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 4.50mm,	
	Plated Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>761655807</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 4.90mm,	
	Plated Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>761655808</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 5.50mm,	
	Plated Through Hole	
	Dimension 0.39mm,	
	Lead-Free	
	Impact 100 Ohm	<u>761655867</u>
	3 Pair Vertical	
	Backplane Header,	
	Right Guide, Open	
	Endwall, 8 Columns,	
	72 Circuits, Pin	
	Length 4.90mm,	
	Plated Through Hole	
	Dimension 0.39mm ,	
	Key Orientation F,	
	Lead-Free	
	Impact 100 Ohm	<u>761657803</u>
	3 Pair Vertical	
	Backplane Header,	
	Left Guide, Right	

Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761657804
3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761657805
3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761657806
3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761657807
3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761657808
3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761659803
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761659804
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761659805
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761659806
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761659807
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761659808
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761659827
3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation B,
Lead-Free

This document was generated on 07/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62201-8674](#)