

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0622018679

Status:

Active

Overview:

Application Tooling

Description:

Backplane Press-In Tool for 4-Pair by 6-Column Assemblies

Documents:

RoHS Certificate of Compliance (PDF)


General	
Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	884982578401
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-622018679, TM-622018799



Series image - Reference only

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Compliant	
REACH SVHC	
Not Contained Per	
-ED/01/2018 (15	
January 2018)	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207123 Series

Use With

76155 Impact Backplane Signal Module Assembly, 4-Pair by 6 Column Assemblies

Application Tooling Description	FAQ Product #
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, MAPS, Lead Free	1712941308
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Left Endwall, 6 Columns, 72 Circuits, Pin	1712941318

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm 1712941338
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm 761551303
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551304
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551305
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551307
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551308
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm	<u>761551316</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.50mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761551317</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761551318</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 5.50mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761551323</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Dual	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.50mm,	
Plated Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761551324</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Dual	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761551325</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Dual	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 5.50mm,	
Plated Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761551326</u>
4 Pair Vertical	
Backplane Header,	
Unguided, Dual	
Endwall, 6 Columns,	

	72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761551327</u> 4 Pair Vertical Backplane Header, Unguided, Dual Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761551328</u> 4 Pair Vertical Backplane Header, Unguided, Dual Endwall, 6 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761551336</u> 4 Pair Vertical Backplane Header, Unguided, Right Endwall, 6 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761551337</u> 4 Pair Vertical Backplane Header, Unguided, Right Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761551338</u> 4 Pair Vertical Backplane Header, Unguided, Right Endwall, 6 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm <u>761553304</u> 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free
--	---

Impact 100 Ohm	<u>761553307</u>
4 Pair Vertical	
Backplane Header,	
Left Guided, Open	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761555304</u>
4 Pair Vertical	
Backplane Header,	
Right Guided, Open	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761555307</u>
4 Pair Vertical	
Backplane Header,	
Right Guided, Open	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761557307</u>
4 Pair Vertical	
Backplane Header,	
Left Guided, Right	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 4.90mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761557308</u>
4 Pair Vertical	
Backplane Header,	
Left Guided, Right	
Endwall, 6 Columns,	
72 Circuits, Pin	
Length 5.50mm,	
Plated Through Hole	
Dimension 0.39mm,	
Lead-Free	

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62201-8679](#)