



EVAL BOARD FEATURES:

1. 12 WATT, 5V WALL TRANSFORMER INCLUDED WITH EVAL BOARD
2. 2-PIN TERMINAL BLOCK AVAILABLE FOR BENCH TOP POWER SUPPLY CONNECTION
3. ALL HIGH SPEED PAIRS LENGTH MATCHED.
4. SCL AND SDA TERMINAL BLOCK CONNECTIONS FOR I2C CONTROL
5. LOW SPEED SIGNAL AND POWER TERMINAL CONNECTIONS FOR EASY ACCESSIBILITY.
6. SOLT CAL STRUCTURES (SHORT, OPEN, LOAD, 1X THRU, AND 2X THRU)
7. MODULE PRESENT LED INDICATOR
8. MODULE SELECT SWITCH
9. RESET SWITCH
10. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC).

ENTER DESCRIPTION IEC NO: USY2009-0558 DRAWN BY: CHRISCHY 2009/06/11 CHECKED BY: CHYDRAHMOOD 2009/06/22 APPR: RAHMOOD 2009/06/23	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 1.75:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±---	3 PLACES ±--- ±---	2 PLACES ±0.13 ±---	1 PLACE ±0.25 ±---	DRAWN BY: CHRISCHY 2009/06/10 CHECKED BY: DATE GBWALZ 2009/06/10	TITLE OSFP EVALUATION BOARD		
		ANGULAR ± 1°				APPROVED BY: DATE RAHMOOD 2009/06/10	MATERIAL NO. 739313022		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DOCUMENT NO. SD-73931-3022	SHEET NO. 1 OF 1		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[73931-3022](#)