


Product Search Data Sheet

NXRT15XV302FA5B025

In Production Recommended RoHS REACH

Appearance & Shape



Applications


Limited Usage	Consumer Grade
	1. Secondary battry 2. Temperature
	detection for charging 3. Temperature
Other Usage	detection for DC fan motor 4.
Jilei Usage	Temperature sensing for appliance 5.
	Selfstanding temperature sensing for
	fire detector

Note: This datasheet may be out of date. Please download the latest datasheet of NXRT15XV302FA5B025 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV302FA5B025

Packaging Information

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500



1. NXR series can accurately detect temperature with NCP15 series on the head of parts.

2. The insulation coat with polyulethane on the surface of lead wire : 100VDC.

3. You can choose NTC characteristics from NCP15 series.

4. The resistance drift is small in the reliability test.

5. The production capacity is bigger and NXR is produced in almost all automation line.

6. Adopt to Sb regulation



Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





NXRT15XV302FA5B025

Note: This datasheet may be out of date. Please download the latest datasheet of NXRT15XV302FA5B025 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV302FA5B025

Specifications

Resistance (25°C)	3kΩ
Resistance Value Tolerance (at 25°C)	±1%
B-Constant (25/50°C)	3936K
B-Constant (25/50°C) Tolerance	±1%
B-Constant(25/80°C) (Reference Value)	3971K
B-Constant(25/85°C) (Reference Value)	3977K
B-Constant(25/100°C) (Reference Value)	3989K
Maximum Operating Current (25°C)	0.29mA
Rated Electric Power (25°C)	13.0mW
Typical Dissipation Constant (25°C)	2.6mW/°C
Thermal Time Constant	4s
Operating Temperature Range	-40°C to 125°C
Lead Shape	Insulation type
Size Code (in mm)	025 = 25mm
Size Code (in inch)	025 = 25mm
Shape	Lead
Mass	0.085g

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet


NXRT15XV302FA5B025


Note: This datasheet may be out of date. Please download the latest datasheet of NXRT15XV302FA5B025 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NXRT15XV302FA5B025



Product Data





Resistance-Temperature Characteristics

Temperature Tolenrance VS. Temp.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Murata: NXRT15XV302FA5B025