## GPS / WLAN Patch Antenna

## APAEA1575R0940K14-T

**RoHS/RoHS II compliant** 



**MSL level: Not Applicable** 

#### **FEATURES:**

- Compact Size and Low Profile
- Pin type
- Customization Available
- RoHS Compliance

#### > TYPICAL APPLICATIONS:


Automotive navigation, Marine buoys, Surveying equipment, Cell phone, Laptop, Healthcare and medical monitoring devices, PND, PDA

#### STANDARD SPECIFICATIONS:

Parameters	Min.	Тур.	Max.	Units	Note
Receiving Frequency Range	1575		MHz		
Center Frequency (*)	1606		MHz	(with JL03V2.0 GND Plane)	
Bandwidth	5			MHz	(Return loss ≤-10dB)
Gain		-1.0		dBic	(Peak gain on standardized Ground Plane facing Zenith.)
Axial Ratio			5	dB	
VSWR @ Center Frequency			1.5		
Polarization Model		RHCP			(Right Hand Circular Polarization)
Impedance	50		Ω		
Frequency Temperature Coefficient	-10		10	ppm/°C	

<sup>(\*)</sup> Application environment, including size of the ground plane, proximity to adjacent components, etc., will affect stated performance. Fine tuning might be required when installed on end-customer's PCB. Abracon offers Antenna Optimization Service, please contact Abracon.

### > TEST CONDITIONS & TEST SETUP:



### > STRUCTURE AND MATERIAL

Description	Material
Antenna Substrate	Dielectric Ceramics
Pin	Copper and tinplated
Electrode	Ag Plated
Ground Plane	Ag Plated
Adhesive Type	NITTO 5000NS





# **GPS / WLAN Patch Antenna**


# APAEA1575R0940K14-T


RoHS/RoHS II compliant




### > SMITH CHART

#### **RADIATION PATTERN**





### **OUTLINE DIMENSION:**







## GPS / WLAN Patch Antenna

## APAEA1575R0940K14-T

RoHS/RoHS II compliant



#### **PACKAGING:**

PACKAGING:	
Package Type	Quantity
Tray	90 pcs/tray
Inner Box	900pcs/box
Outer Box	1800 pcs/box
0.501	328 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Vacuum Bag Package Tray  DIELECTRIC ANTENNA  TYPE QTY: PCS SXZE: 345 × 210 × 260 G.WT kG N.WT kG Outside Box

#### **CAUTION:**

- (1) Do not apply excess mechanical stress to the component body or terminations. Do not attempt to re-form or bend the components as this will cause damage to the component.
- (2) Do not expose the component to open flame.
- (3) This specification applies to the functionality of the component as a single unit. Please insure the component is thoroughly evaluated in the application circuit.

#### **NOTE:**

- 1) The parts are manufactured in accordance with this specification. If other conditions and specifications which are required for this specification, please contact ABRACON for more information.
- 2) ABRACON will supply the parts in accordance with this specification unless we receive a written request to modify prior to an order placement.
- 3) In no case shall ABRACON be liable for any product failure from in appropriate handling or operation of the item beyond the scope of this specification.
- 4) When changing your production process, please notify ABRACON immediately.
- 5) ABRACON Corporation's products are COTS Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. ABRACON's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from ABRACON Corporation is required. Please contact ABRACON Corporation for more information.
- 6) All specifications and Marking will be subject to change without notice.

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.





# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

**ABRACON:** 

APAEA1575R0940K14-T