WIDE BAND CHOKE

AWBC-03





> FEATURES:

- EMI suppression component with compact size, high impedance and medium current
- Widely used in PC products to filter EMI from the outside
- CE, FCC Compliant

> APPLICATIONS:

- Computer products, motherboard, TV card
- Power supply cables, OA products, modem
- Communication equipments

> ELECTRICAL SPECIFICATIONS:

Impedance:

320 Ω @10MHz

 $780\,\Omega$ @50MHz

580 Ω @100MHz


Test instrument: Agilent 4294A Precision

Impedance Analyzer

Turns: 2.5 turns

MEAS.	Z1	Z2	Z3
ITEM	(Ω)	(Ω)	(Ω)
TEST	10 MHz	50 MHz	100 MHz
FREQ.			
SPEC	320	680	580
TOL+			
TOL-	Min	Min	Min
1	443.26	867.57	687.74
2	417.58	842.89	701.62
3	458.63	893.24	685.74
4	419.87	835.33	674.71
5	437.57	844.13	695.03
6	412.24	841.5	683.96
7	423.08	853.81	686.45
8	434.38	862.76	694.53
9	443.31	864.76	690.21
10	431.25	857.07	685.74
X	432.12	856.31	688.57

OUTLINE DIMENSIONS:



Packing: Bulk (250pcs/bag)

Dimensions:mm

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

ABRACON: