## Over Travel Light Touch Switches

## Type: **EVQP0**





- Features
- External dimensions : 6.2 mm×6.2 mm, Height 7.45 mm
- Comfortable for long-time operation due to over-travel
- Excellent light-touch operational feel

## ■ Recommended Applications

- Operating switches for other electronic equipment
- Operation switches for PC mouse

#### ■ Explanation of Part Numbers






#### ■ Specifications

Туре		Snap action / Push-on type SPST		
Electrical	Rating	10 μA 2 Vdc to 50 mA 30 Vdc (Resistive load)		
	Contact Resistance	100 m $\Omega$ max. (1 $\Omega$ max. after life test)		
	Insulation Resistance	100 M $\Omega$ min. (at 100 Vdc)		
	Dielectric Withstanding Voltage	600 Vac for 1 minute		
	Bouncing	3 ms max. (ON), 8 ms max. (OFF)		
Mechanical	Operating Force	EVQP0E : 0.74 N max.	EVQP0D: 1.3 N max.	
	Returning Force	0.1 N min.		
	Pre-travel	0.5 mm max.		
	Movement Differential (MD)	0.12 mm max.		
	Over Travel	0.2 mm max.		
Endurance	Operating Life	EVQP0E : 5000000 cycles min.	EVQP0D : 1000000 cycles min.	
Operating Temperature		−20 °C to +70 °C		
Storage Temperature		−45 °C to +85 °C		
Minimum Quantity/Packing Unit		500 pcs. Polyethylene Bag (Bulk)		
Quantity/Carton		10000 pcs.		

### ■ Dimensions in mm (not to scale)

EVQP0

(Bulk)



Part Numbers	Operating Force	Height	Push Plate Color	Operating Life
EVQP0E07K	0.74 N	7.45 mm	Black	5000000 cycles
EVQP0D07K	1.30 N	7.45 mm	Black	1000000 cycles

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panasonic: EVQ-P0D07K