

Rack Mount Shelves

specifications

Rack mounted shelves shall be one, two, and three rack spaces and 19 inches wide. The shelves shall be front mounted, adjustable or cantilevered versions.



technical information

Rack mount shelves:

Part Number	RU	Height In. (mm)	Width In. (mm)	Depth In. (mm)
SRM19FM1	1	1.7 (44)	19.0 (483)	15.2 (385)
SRM19FM2	2	3.5 (88)	19.0 (483)	15.2 (385)
SRM19CM3	3	5.2 (133)	19.2 (489)	25.0 (635)
SRM19CMV3	3	5.2 (133)	19.2 (489)	25.0 (635)
SRM19X18A1	1	1.7 (44)	19.0 (483)	18.0 (457)
SRM19X25A1	1	1.7 (44)	19.0 (483)	25.0 (635)

Shelf load rating:

SRM19FM1:	30 lbs.
SRM19FM2:	50 lbs.
SRM19CM3:	200 lbs.
SRM19CMV3:	200 lbs.
SRM19X18A1:	250 lbs.
SRM19X25A1:	250 lbs.

Packaging:

Shelves include #12-24 mounting screws

Front Mount Shelves 19"

1 RU:	SRM19FM1
2 RU:	SRM19FM2

Center Mount Cantilevered Shelves, 19" 3 RU

Non-vented:	SRM19CM3
Vented:	SRM19CMV3

Adjustable Shelf 19" 1 RU

18" deep:	SRM19X18A1
25" deep:	SRM19X25A1

Racks

8' 52 RU:	R2P96
7' 45 RU:	R2P
4' 24 RU:	R2P48
7' 45 RU 23" wide:	R2PW

All have #12-24 threaded rails.

Panel Extender Brackets

1 RU:	PEB1
2 RU:	PEB2

key features and benefits

Center mount cantilevered shelf

Includes front and rear shelf to mount on standard 3" channel racks

Heavy load rating

Support non-rack mountable equipment up to 250 lbs.

Adjustable shelf

Shelf mounting brackets attach to front and back of 3" or 6" channel racks. Shelf can then be positioned to desired location using a range of mounting holes in the shelf; two positions are available for 3" channel racks and three positions are available for 6" channel racks

applications

The Panduit line of shelves provide an aesthetically pleasing solution that allow you to mount test gear, computer equipment, and small networking devices on any EIA 19" rack or 23" rack with PEB1 or PEB2 extender brackets. This enables you to design a network layout to your own specifications.

When used with Panduit racks, enclosures, cable managers, and connectivity, the user receives a complete networking solution that will satisfy telecommunications room requirements today and into the future.

Rack Mount Shelves

front mount shelves




SRM19FM1




SRM19FM2

center mount cantilevered shelves




SRM19CM3




SRM19CMV3

adjustable shelves



SRM19X25A1



SRM19X18A1

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA
Markham, Ontario
cs-cdn@panduit.com
Phone: 800.777.3300

PANDUIT EUROPE LTD.
London, UK
cs-emea@panduit.com
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.
Republic of Singapore
cs-ap@panduit.com
Phone: 65.6305.7575

PANDUIT JAPAN
Tokyo, Japan
cs-japan@panduit.com
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA
Guadalajara, Mexico
cs-la@panduit.com
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.
Victoria, Australia
cs-aus@panduit.com
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

PANDUIT®

For more information
Visit us at www.panduit.com
Contact Customer Service by email: cs@panduit.com
or by phone: 800.777.3300

©2016 Panduit Corp.
ALL RIGHTS RESERVED.
RKSP146--WW-ENG
Replaces WW-RKSP20
7/2016

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

[SRM19MK2](#)