

# Safety Tags

Our selection of safety tags is just as diverse as your workplace.

- Prevent the potential for accidental injury and property damage
- Alert, call out or draw attention to temporary hazards
- Required critical tool in safety, performance and maintenance operations

## We Have What You Need

Look to us for the tags that you need! In addition to standard OSHA safety tags, our comprehensive selection of safety tags incorporates key categories like Lockout/Tagout, Equipment Status and Record Inspection.

## Safety Tags Identify Temporary Hazards

### Safety Tags...

- Call out attention to hazards
- Prevent the potential for accidental injury or property damage
- Identify and inform that a hazardous condition exists

Attach and hang the tags as close as possible to the hazard situation where the tag can be readily seen. Tags are to remain in-place until the hazard is eliminated or the hazardous operation is complete.

The Occupational Safety and Health Administration (OSHA 29 CFR §1910.145) and American National Standards Institute (ANSI Z535) provide specifications, designs, applications, and uses of accident prevention tags. Tags can be printed in a variety of colors and messages to meet your needs. They are typically designed with an attention-getting signal word for a degree of hazard along with a specific message and areas to write in particular information.

Safety tags are an inexpensive, fast solution for temporary marking and identification of hazards.

*Note: A tag shall not be used in place of a permanent sign or label for hazards in normal use, operation or maintenance.*

# Choose the Right Tag Material

Select a material based on your application requirements to ensure your message is conveyed clearly and effectively.

## Poly Cardstock (PCT)

**Pulp-free tags have no wood pulp or paper content, unlike standard cardstock tags, and are available at an economical price.**

### Material Features

- Thin, pliable 0.010" poly-based tags will not crack, distort, or shrink
- Waterproof and tear-resistant from incidental pulls and snags
- Can be printed on both sides
- Scuff-resistant matte surface is easy to write on with pen or marker
- 3/8" non-reinforced hole

### Applications

- Indoor usage
- Non-reinforceable hole



## Rigid Plastic (PVT)


**High-strength rigid plastic tag is ideal for use in tough industrial environments – resists chemicals, tears, and abrasions.**

### Material Features

- 0.015" thick rigid plastic tags are relatively bendable
- Matte surface is easy to write on with pen or marker
- Can be printed on both sides
- 3/8" hole, reinforced by a pull-proof metal grommet

### Applications

- Indoor and temporary outdoor usage
- Chemical and dirty/greasy environments
- 2 years outdoors



## Laminate Plastic (PCTL)

**Nearly indestructible tag is made to withstand tough, abusive conditions.**

### Material Features

- 0.010" cardstock tag sealed by a thick, 0.007" laminate on both sides – right to the edges – to protect the printed image
- Tear-proof, weatherproof and chemical-resistant
- Durable to withstand dirt, grease, liquid splashes and rough handling
- Scratch-resistant matte-finish laminate surface is easy to write on with pen or marker
- 3/8" hole, reinforced by a pull-proof metal grommet
- Available in Lockout Tags

### Applications

- Indoor and outdoor usage - when the most durable tags are required
- Chemical applications and tough industrial settings



## Self-Laminating Tags

**Protect written messages and photos when your life is on the line.**

- Write information and insert a photo (where applicable), then laminate your own tag
- Protection from moisture, chemicals and dirt
- Prevents tampering with the information
- Dual self-laminating polyester flaps pre-attached at the top
- Reinforced by a pull-proof metal grommet



## Standard Safety Tags


Back A 1006  
Back B 1023

Back A 1011  
Back B 1016

Back A 1004  
Back B 1017

Back A 1002  
Back B 1026

Back A 1005  
Back B 1018

Back A 1007  
Back B 1022

Back A 1003  
Back B 1020

Back A 1014  
Back B 1021

Back A 1012  
Back B 1024

Back A 1009  
Back B 1025

Back A 1008  
Back B 1019


Back A 1010  
Back B 1015

Back A 1034  
Back B 1038


Back A 1036  
Back B 1040



Back A 1035  
Back B 1039

Back A 1001  
Back B 1042

Back A 1037  
Back B 1041


## Blank Header Tags


Front Back  
1027

Front Back  
1064

Front Back  
1043

Front Back  
1061

## Bilingual Spanish Safety Tags



1126



1125



1063



1151




1127



1153








1152



STD BILINGUAL BACK

## Inspection &amp; Status Record Tags

Front Back  
1148Front Back  
1047Front Back  
1048Front Back  
1128Front Back  
1117Front Back  
1131Front Back  
1130Front Back  
1136Front Back  
1134Front Back  
1137Front Back  
1133Front Back  
1132Front Back  
1138

## Available Materials

Poly Cardstock  
Rigid Plastic

## Codes

PCT-  
PVT-

## Available Packages

Pk. of 5  
Pk. of 25

## Codes

(blank)  
-Q

## How to Order Tags:

- Select Material Code:  
PCT-
- Select Tag Base Part Number:  
1011
- Select Package:  
5/Pk - (blank); 25/Pk - -Q
- Combine Codes in Specific Order for Complete Part Number: 5/Pk - PCT-1011; 25/Pk - PCT-1011-Q





## Lockout Tags



1051



1054



1052



1053




1056



1055



1057



STD LOCKOUT BACK



1150

STD BILINGUAL  
LOCKOUT BACK

## Available Materials

Poly Cardstock  
Rigid Plastic  
Laminate Plastic (Pk. of 5)

## Codes

PCT-  
PVT-  
PCTL-

## Available Packages

Pk. of 5  
Pk. of 25

## Codes

(blank)  
-Q

## How to Order Tags:

- 1 Select Material Code: PCT-
- 2 Select Tag Base Part Number: 1051
- 3 Select Package: 5/Pk - (blank); 25/Pk - -Q
- 4 Combine Codes in Specific Order for Complete Part Number: 5/Pk - PCT-1051; 25/Pk - PCT-1051-Q



## Self-Laminating Lockout Tags



Front Back  
1060



Front Back  
1058



Front Back  
1059

## Available Materials

Poly Cardstock  
Rigid Plastic

## Codes

PSCT-  
PST-

## Available Packages

Pk. of 5  
Pk. of 25

## Codes

(blank)  
-Q

## How to Order Tags:

- 1 Select Material Code: PSCT-
- 2 Select Tag Base Part Number: 1060
- 3 Select Package: 5/Pk - (blank); 25/Pk - -Q
- 4 Combine Codes in Specific Order for Complete Part Number: 5/Pk - PSCT-1060; 25/Pk - PSCT-1060-Q



## Tag Holder Systems

Insert, enclose and contain your status alert tags in a secure tag holder system.

- Mount durable plastic holder and insert tag to display alert status
- Default "DO NOT USE" message shows when no tag is inserted
- Available in two styles:

**(A) Secure-Status** – Durable plastic holder measures 10"H x 3 1/2"W x 3/8" overall with 5 1/2"H x 2 3/4"W clear view front window. Upper jaws close to fit onto post rails or poles up to 2 3/8" diameter or through any 1/2" opening to lock out a device. Accommodates up to four padlocks (sold separately).

**(B) Status Alert** – Durable 0.060" thick plastic holder measures 12"H x 4 1/2"W overall with a 2 3/4" diameter opening at top. Insert tag into the 5 1/2"H x 4 1/2"W clear polycarbonate plastic front pocket, secure with nylon tie (sold separately) and mount in a visible location with large opening at the top.



(A)



(B)

### (A) Secure-Status Holder



PT-1164



PT-1162



PT-1165



PT-1163

### (B) Status Alert Holder



PT-1160



PT-1158



PT-1161




PT-1159



## Roll of Tags

### Portable Dispenser Roll for your On-The-Go Needs

- Keep a large quantity of tags readily available
- Tags are connected end-to-end with perforations, and housed in a convenient cardboard dispenser
- Dispenser box measures 6 5/8"H x 6 5/8"W x 3 5/8"D
- Box features 1 1/2" perforated center hole for mounting
- Poly Cardstock tags are tear- and water-resistant
- Tags measure 6 1/4"H x 3"W, with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date and add notes
- Available in 100 and 250 tags per roll



### General Safety Tags



100/Roll PCT-1077-C  
250/Roll PCT-1086-B



100/Roll PCT-1078-C  
250/Roll PCT-1081-B



100/Roll PCT-1080-C  
250/Roll PCT-1087-B



100/Roll PCT-1093-C  
250/Roll PCT-1096-B



100/Roll PCT-1083-C  
250/Roll PCT-1088-B



100/Roll PCT-1084-C  
250/Roll PCT-1089-B

### Lockout Tags



100/Roll PCT-1085-C  
250/Roll PCT-1090-B



100/Roll PCT-1079-C  
250/Roll PCT-1082-B



100/Roll PCT-1091-C  
250/Roll PCT-1098-B



100/Roll PCT-1092-C  
250/Roll PCT-1099-B



100/Roll PCT-1094-C  
250/Roll PCT-1097-B



100/Roll PCT-1095-C  
250/Roll PCT-1100-B

## Thick Plastic Tags

This tag can take the abuse of the harshest industrial environment. It's thick, tough, and rigid to withstand tugging, pulling, twisting and bending.

- Made of tough recycled polycarbonate
- Relief text increases visibility
- Double-sided
- Polycarbonate plastic resists most corrosive environments
- Write on these tags with permanent marker
- 3/8" hole without grommet meets dielectric requirements
- Measures 5 7/16" x 3 1/16" x 1/8"
- Available in packages of 5 and 25



Pkg/5 PVT-1062  
Pkg/25 PVT-1062-Q



Pkg/5 PVT-1162  
Pkg/25 PVT-1162-Q



STANDARD BACK

## Scaffold Status 3 'n 1 Fold Tag

**Quickly and conveniently change the safety status of your scaffold with our 3 'n 1 Fold Tag.**

- Display DANGER, CAUTION or ATTENTION messages all from the same tag with a simple fold
- Ideal for use with Secure-Status or Status Alert Holder (sold separately)
- Front and back display the same color with related info
- Folded tag size: 5 3/4" x 3 1/4". Unfolded size: 11 1/2" x 6 1/2"
- Available in Poly Cardstock (PCT) or Rigid Plastic (PVT) in packs of 5 or 25



Simply fold tag to display appropriate message. When status changes remove tag from holder and unfold to change message. Shown with Secure-Status Holder.

Material	Part No.	UOM	Part No.	UOM
Poly Cardstock	PCT-1157	Pkg. of 5	PCT-1157-Q	Pkg. of 25
Rigid Plastic	PVT-1157	Pkg. of 5	PVT-1157-Q	Pkg. of 25

## Aluminum Inspection Record Tag

**FIRE EXTINGUISHER**

○

**INSPECTION RECORD**

EXTINGUISHER NO. \_\_\_\_\_

2016	2017	2018	2019
		JAN	
		FEB	
		MAR	
		APRIL	
		MAY	
		JUNE	
		JULY	
		AUG	
		SEPT	
		OCT	
		NOV	
		DEC	

- Four-year aluminum tag is made to withstand the inspection period
- 0.020" Aluminum
- Pack of 5



**Meets OSHA 29 CFR  
§1910.157(e)**



Start Year  
2016

PT-1129

## Loop Strap Tags

**Attach tags by the self-fastening strap for quick marking of hazards.**

- Hangs on its own strap by looping the vertical strap around itself
- Flexible 0.014" polyethylene plastic
- 5 1/4" x 3 1/4" tag body with the strap being 1 3/8"W x 6"L x 7/16" wide opening
- Resists grease, dirt, and moisture
- Message is printed on one side only
- Can be written on with permanent marker
- Available in packs of 25






## Blank Tags

Blank tags allow you to write any message in pen, pencil or marker. Use for coding, marking, quick identification, production status or inventory.


### Manila Cardstock Tags

- 0.0013" tags with patch-reinforced 3/16" hole
- Pack of 100

Part No.	Size	Size No.
<b>Hole Only</b>		
PCT-1101-C	4 3/4" x 2 3/8"	5
PCT-1102-C	5 1/4" x 2 5/8"	6
PCT-1103-C	6 1/4" x 3 1/8"	8
<b>Hole with 12" Galvanized Steel Wire</b>		
PCT-1104-C	4 3/4" x 2 3/8"	5
PCT-1105-C	5 1/4" x 2 5/8"	6
PCT-1106-C	6 1/4" x 3 1/8"	8



### Premium Blank Tags



#### Available Materials

Poly Cardstock  
Rigid Plastic  
Self-Laminating Poly Cardstock  
Self-Laminating Rigid Plastic

#### Codes

PCT-  
PVT-  
PST-  
PST-

#### Available Packages

Pk. of 5  
Pk. of 25

Codes  
(blank)  
-Q


### How to Order Tags:

- 1 Select Material Code:  
PCT-
- 2 Select Tag Base Part Number:  
1030
- 3 Select Package:  
5/Pk - (blank); 25/Pk - -Q
- 4 Combine Codes in Specific Order for Complete  
Part Number: 5/Pk - PCT-1030; 25/Pk - PCT-1030-Q



### Standard Color Blank Cardstock Tags

- 0.0013" coated tags with patch-reinforced 3/16" hole
- Pack of 100



**To Order:** Add color code after part number: Blue - B-C, Green - G-C, Red - R-C, White - W-C, Yellow - Y-C.


Example: Part No. PCT-1107 + Color Code B-C = PCT-1107B-C

Part No.	Size	Size No.
<b>Plain - with Hole Only</b>		
PCT-1107	4 3/4" x 2 3/8"	5
PCT-1108	5 1/4" x 2 5/8"	6
PCT-1109	6 1/4" x 3 1/8"	8
<b>Hole with 12" Steel Wire</b>		
PCT-1110	4 3/4" x 2 3/8"	5
PCT-1111	5 1/4" x 2 5/8"	6
PCT-1112	6 1/4" x 3 1/8"	8

### White Tyvek® Tags

- Lightweight, pressure-bonded fibers
- Flexible 0.075" thick material is abrasion- and tear-resistant
- Withstands moisture, chemicals, and frequent handling
- Patch- and metal-reinforced 3/16" hole is available plain or looped with 12" galvanized steel wire
- Pack of 100

Part No.	Size	Size No.
<b>Hole Only</b>		
PCT-1225-C	4 3/4" x 2 3/8"	5
PCT-1114-C	6 1/4" x 3 1/8"	8
<b>Hole with Galvanized Steel Wire</b>		
PCT-1115-C	4 3/4" x 2 3/8"	5
PCT-1116-C	6 1/4" x 3 1/8"	8



Tyvek® is a registered trademark of DuPont™

## Self-Laminating Safety Tag Carriers

- Cut out paper to fit and insert into the self-laminating carrier allows tags to be resistant to mild chemicals and acids
- Sturdy brass grommet provides extra durability
- Panduit PLT2S (7.40") nylon ties included for quick and easy installation
- Meet OSHA Standard 1910.147 for lockout tag 50 lb. pull force requirement



Part No.	Lamination Style	Tag Size	Pkg. Qty.
PST-4	Front only	3.50" x 5.75"	25
PST-5	Front and back	3.50" x 5.75"	25
PST-1	Front only	3.00" x 2.00"	10
PST-2	Front only	3.25" x 5.75"	5

## Create Your Own Cardstock Tags

- Create your own economical cardstock tags on ink jet printers
- Economical solution for temporary, indoor tags
- Cardstock is semi-rigid tag with perforation for easy tag separation and punched hole for hanging
- Tags measure 3" x 5"
- 4 tags/sheet; 25 sheets for 100 tags per package
- Can be used with Self-Laminating Safety Tag Carrier for extra durability

Part No.	Color
SEZ-TAGWH	Red and Black/White
SEZ-TAGOR	Red and Black/Orange
SEZ-TAGY	Red and Black/Yellow



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

[PCT-1010](#) [PCT-1008](#) [PCT-1005](#) [PCT-1003](#) [PCT-1002](#) [PCT-1004](#) [PCT-1049](#) [PCT-1009](#) [PCT-1001](#) [PCT-1007](#)