PANDUT[®] PHYSICAL INFRASTRUCTURE SYSTEMS

[•] DP6A[™] 10Gig[™] UTP Patch Panels

- Exceed requirements of ANSI/TIA-568-C.2 Category 6A, IEEE 802.3an-2006, and ISO 11801 Class E_A channel standards
- Exceed requirements of ANSI/TIA-568-C.2 Category 6A and IEC 61156-5 Category 6_A component standards
- Meet requirements of IEEE 802.3af and IEEE 802.3at for PoE applications
- Each port is 100% tested to ensure NEXT and RL performance and is individually serialized to support traceability
- Utilize 110 punchdown termination on back panel and include retention cap for each port
- Each port contains a universal label that is color-coded for T568A and T568B wiring schemes

- Contacts plated with 50 microinches of gold for superior performance
- Angled versions allow for higher density applications by easily routing the patch cords to each side of the panel eliminating the need for horizontal cable management
- Terminate 4-pair, 22 26 AWG, 100 ohm, solid or stranded twisted pair cable
- Mount to standard EIA 19" rack or 23" racks with optional extender bracket
- Write-on areas for port and panel identification
- · Can be clearly identified with labels and icons
- Optional label kits (DPLK24 and DPLK48) contain adhesive label holder and labels for easy port and panel identification

	Part Number	Part Description	No. of Rack Spaces^	Std. Pkg. Qty.	Ctn.			
DPA246X88TGY	DP6A [™] 10Gig [™] Angled Patch Panels							
ANNA AVAILA ANNA	DPA246X88TGY	24-port, angled, Category 6A, 10 Gb/s patch panel with 24 RJ45 8-position, 8-wire ports.	1	1	10			
APPEND PROPERTY OF	DPA486X88TGY	48-port, angled, Category 6A, 10 Gb/s patch panel with 48 RJ45 8-position, 8-wire ports.	2	1	10			
DPA486X88TGY	DP6A [™] 10Gig [™] Flat Patch Panels							
	DP246X88TGY	24-port, Category 6A, 10 Gb/s patch panel with 24 RJ45 8-position, 8-wire ports.	1	1	10			
DP246X88TGY	DP486X88TGY	48-port, Category 6A, 10 Gb/s patch panel with 48 RJ45 8-position, 8-wire ports.	2	1	10			

Must be installed as part of a complete TX6A[™] 10Gig[™] Copper Cabling System in order to achieve 10GBASE-T

^One rack space = 1.75" (44.45mm).

M6 and #12-24 mounting screws included.

Replaceable punchdown modules available, part number DRJ6X88TGBL Termination tool (PDT110) available on page B.87.

DP486X88TGY

Component Labels for DP6A[™] 10Gig[®] UTP Patch Panels

certified performance.



Suggested Label Solutions for TIA/EIA-606-A Compliance								
Patch Panel Part Number	Laser/Ink Jet Desktop Printer Label	TDP43ME Thermal Transfer Desktop Printer Label	PanTher [™] LS8E Hand-Held Printer Label	Cougar [™] LS9 Hand-Held Printer Label				
All Patch Panels on this Page	C379X030FJJ	C379X030YPT	C379X030FJC	T031X000FJC-BK				

For complete labeling solutions and product information, reference charts on pages O.1 – O.22.

B. Copper Systems

A. System

Overview

Fiber Optic Systems

C.

D. Power over Ethernet

E. Zone Cabling

F. Wireless

G. Outlets

H. Media Distribution

l. Physical Infrastructure Management

J. Overhead & Underfloor Routing

K. Surface Raceway

L. Cabinets, Racks & Cable Management

M. Grounding & Bonding

N. Industrial



P. Cable Management Accessories

> Q. Index

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit: DP485E88TGY