[®] PHYSICAL INFRASTRUCTURE SYSTEMS

د Grounding Clamp, U-Bolt, Bronze ، شاهی Grounding Clamp, U-Bolt, Bronze

- · Used to ground copper conductor parallel or at a right angle to a rod, tube, or pipe
- · Made from high strength, electrolytic cast bronze
- · High strength silicon bronze hardware provides long term reliable assembly

· UL Listed for grounding and bonding with AWG conductor and suitable for direct burial in earth or concrete

conductor sizes - minimizes inventory

· Accommodates a wide range of pipe, tube, rod and

Accommodates a wide range of pipe,


UL Listed for grounding and bonding with

AWG conductor and suitable for direct burial

tube, rod and conductor sizes -

minimizes inventory

in earth or concrete



		Ground Iron Rod Pipe Size Size art Number In. In.	Pipe	Conductor Size Range AWG	Figu	Figure Dimensions In.		Bolt	Hex	Std.
	Part Number				L	w	н	Dia. In.	Size In.	Pkg. Qty.
	GPL-8-Q	7/8 or 1	1/2 or 3/4	#8 SOL – #4 STR	2.38	1.38	2.63	3/8	9/16	25
-	GPL-14-X		1	#8 SOL – #4 STR	2.63	1.38	2.75	3/8	9/16	10
	GPL-15-X	_	1	#4 SOL – 2/0 STR	2.63	1.63	2.75	3/8	9/16	10
	GPL-16-X	_	1	2/0 SOL – 250 kcmil	2.63	1.88	3.25	3/8	9/16	10
e t	GPL-22-X	_	1 1/4	2/0 SOL – 250 kcmil	3.00	1.88	3.50	3/8	9/16	10
	GPL-28-X		1 1/2	2/0 SOL – 250 kcmil	3.25	1.88	4.00	3/8	9/16	10
1	GPL-34-3	_	2	2/0 SOL – 250 kcmil	3.75	1.88	4.25	3/8	9/16	3

Grounding Clamp for Water Pipes, Bronze

water pipe or copper tube

and inhibit corrosion

· Used to ground copper code conductor to

· Cast from high strength, electrolytic bronze to provide reliable grounding connections

Plated steel screws provide high strength

K. Surface Raceway

L. Cabinets, Racks & Cable Management

Μ. Grounding 8 Bonding

N.



(ŸL

Ð

w 🖛		Water Pipe	Conductor Size	Figure Dimensions In.		Std.
	Part Number	Range In.	Range AWG	L	w	Pkg. Qty.
	KP1-C	1/2 – 1	#10 SOL – #2 STR	2.28	0.66	100
	KP2-L	1 1/4 – 2	#10 SOL – #2 STR	3.58	0.73	50

Industrial

P. Cable Management Accessories

> Q. Index



		I
n		E
	ں کی ں	

←	_ L ►
	B
Т	V/T

— L —→	->	w	-	
			1	Part I
				KP1-
\wedge /π				
Ϋ́́ U				KP2-

→ W	-	Pipe	Size	In.		
	Part Number	Range In.	Range AWG	L		
	KP1-C	1/2 – 1	#10 SOL – #2 STR	2.28		
<u> -U-</u>	KP2-L	1 1/4 – 2	#10 SOL – #2 STR	3.58		

B. Copper Systems

D.

Power over Ethernet

С.

A. System

Overview

E. Wireless

G. Outlets

H. Media

Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor Routing

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

<u>GPL-34-3</u> <u>GPL-22-X</u> <u>GPL-8-Q</u> <u>GPL-16-X</u> <u>GPL-28-X</u> <u>GPL-14-X</u>