


# Electronic housing - ME 22,5 OT-MSTBO GY - 2695756

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)





### Your advantages

- ▼ Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- ☑ Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail



# **Key Commercial Data**

Packing unit	10 pc
Minimum order quantity	250 pc
GTIN	4 046356 477383
GTIN	4046356477383

## Technical data

#### General

Housing type	Component housing
Housing material	Polyamide
Color (RAL)	gray (7042)

#### **Dimensions**

Height	38.5 mm
Width	22.5 mm
Depth	99 mm

#### Technical data



# Electronic housing - ME 22,5 OT-MSTBO GY - 2695756

## Technical data

Lech	nnical	l data

Number of positions	16
Standards and Regulations	

	Flammability rating according to UL 94	V0
--	--	----

### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Approvals

Approvals

Approvals

**UL** Recognized

Ex Approvals

### Approval details

UL Recognized



http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm

FILE E 240868

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2695756