

# Electronic housing - ME MAX 22,5 F G 3-3 GYBN - 2695895

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Complete housing, without vents, Cross connection: DIN rail bus connector, number of positions cross

### Your advantages

- Available in overall widths from 6.2 mm to 90 mm, modular extension is possible
- ✓ Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional with bus connector for DIN rail mounting as well as power connection system



## **Key Commercial Data**

Packing unit	10 pc
Minimum order quantity	250 pc
GTIN	4 046356 479912
GTIN	4046356479912

### Technical data

### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Approvais	
Approvals	
Approvals UL Recognized	
Ex Approvals	



# Electronic housing - ME MAX 22,5 F G 3-3 GYBN - 2695895

### Approvals

Approval details

**UL** Recognized



http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm

FILE E 240868

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2695895