

# Electronic housing - ME 22,5 UT RD - 2707709

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, length: 99 mm, with vents, Lower part, Cross connection: without bus connector, color: red, width: 22.5 mm, height: 114.5 mm, number of positions cross connector: not relevant

### Your advantages

- ▼ Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail



## **Key Commercial Data**

Packing unit	10 pc
GTIN	4 017918 904180
GTIN	4017918904180

### Technical data

#### Standards and Regulations

Connection in acc. with standard	CUL

### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Approvals

#### Approvals



# Electronic housing - ME 22,5 UT RD - 2707709

# Approvals

Approvals			
cUL Recognized / null / null / null / null / null / cULus Recognized			
Ex Approvals			
Approval details			
cUL Recognized CTL http://databas	e.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 60425	
Nominal voltage UN	300 V		
Nominal current IN	10 A		
mm²/AWG/kcmil	30-12		
Г			
cULus Recognized			

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2707709