

# PCB terminal block - MKDSNV 1,5/ 2-5,08 - 1871966

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

PCB terminal block, pitch: 5.08 mm, number of positions: 2, connection method: Screw connection with tension sleeve, mounting: Wave soldering, color: green



The figure shows a 10-position version of the product

### Why buy this product

- Allows connection of two conductors
- ✓ Anti-rotation pins reduce the mechanical strain on the soldering spots
- The latching on the side enables various numbers of positions to be combined



# **Key Commercial Data**

Packing unit	50 pc
GTIN	4 017918 312510
GTIN	4017918312510

### Technical data

### **Dimensions**

Length [1]	9.5 mm
Pitch	5.08 mm
Dimension a	5.08 mm
Width [w]	10.16 mm
Constructional height	15 mm
Height [ h ]	18.5 mm
Solder pin [P]	3.5 mm
Hole diameter	1.3 mm

General



# PCB terminal block - MKDSNV 1,5/ 2-5,08 - 1871966

# Technical data

### General

Range of articles	MKDSNV 1,5
Nominal cross section	1.5 mm <sup>2</sup>
Number of positions	2

### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

# Approvals Approvals EAC Ex Approvals Approval details EAC EAC B.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1871966