

Housing cover - BC 17,8 DKL S KMGY - 2200045

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Installation component housing, Housing cover, color: light gray, width: 17.8 mm



Your advantages

- ✓ Conforms to DIN EN 43880
- ▼ Tool-free mounting
- Available in overall widths from one to nine width units (17.8 mm ... 161.6 mm)
- ✓ Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- ☑ Can be mounted on the DIN rail or the wall
- Optional with bus connector for DIN rail mounting



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	100 pc
GTIN	4 046356 498555
GTIN	4046356498555

Technical data

General

Housing type	Installation component housing
Housing material	Polycarbonate
Color (RAL)	light gray

Ambient conditions

Ambient temperature (storage/transport)	-40 °C 70 °C
Ambient temperature (assembly)	-5 °C 100 °C
Ambient temperature (operation)	-40 °C 105 °C (depending on power dissipation)



Housing cover - BC 17,8 DKL S KMGY - 2200045

Technical data

Dι	me	ns	10	ns

Width		17.8 mm			
Standards and Regulati	ons				
Flammability rating according	g to UL 94	V0	V0		
Environmental Product	Compliance				
China RoHS	na RoHS Environmentally friendly use period: unlimited = EFUP-e				
		No hazardous substances above threshold values			
Approvals					
Approvals					
Approvals					
UL Recognized / EAC					
Ex Approvals					
Approval details					
UL Recognized	A	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 240868		
EAC	EAC		B.01742		

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2200045