

Electronic housing - ME 17,5 UT/FE KMGY - 2202703

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, length: 99 mm, with vents, Lower part, Cross connection: without bus connector, color: light gray, width: 17.5 mm, height: 114.5 mm, number of positions cross connector: not relevant

Your advantages

- Item is from the ME product range
- ☑ Tool-free mounting
- Mathematical Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail

RoHS

Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 055626 170299
GTIN	4055626170299

Technical data

General

Housing type	Component housing
Housing material	Polyamide
Color (RAL)	light gray (7035)

Ambient conditions

Ambient temperature (operation)	-40 °C 105 °C (depending on power dissipation)

Dimensions

Length	99 mm
Height	114.5 mm



Electronic housing - ME 17,5 UT/FE KMGY - 2202703

Technical data

Dimensions

Width	17.5 mm	
Depth	99 mm	
Technical data		
Number of positions	12	
Standards and Regulations		
Flammability rating according to UL 94	V0	
Environmental Product Compliance		
China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2202703