

Electronic housing - ME 22,5 F-UT BUS/ 5+2 KMGY - 2202730

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, length: 99 mm, with vents, Cross connection: integrated bus connector, color: light gray, width: 22.5 mm, height: 92 mm, number of positions cross connector: 5+2

Your advantages

- ▼ Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail



Key Commercial Data

| Packing unit | 10 pc |
|------------------------|-----------------|
| Minimum order quantity | 10 pc |
| GTIN | 4 055626 170336 |
| GTIN | 4055626170336 |

Technical data

General

| Housing type | Component housing |
|------------------|-------------------|
| Housing material | Polyamide |
| Color (RAL) | light gray (7035) |

Ambient conditions

| Ambient temperature (operation) | -40 °C 105 °C (depending on power dissipation) |
|---------------------------------|--|
|---------------------------------|--|

Dimensions

| Length | 99 mm |
|--------|-------|
| Height | 92 mm |



Electronic housing - ME 22,5 F-UT BUS/ 5+2 KMGY - 2202730

Technical data

| D | ım | er | ารเ | Ю | ทร |
|---|----|----|-----|---|----|

| Width | 22.5 mm |
|-------|---------|
| Depth | 99 mm |

Technical data

| Number of positions | 16 |
|---------------------|----|
| | 4 |

Standards and Regulations

| Flammability rating according to UL 94 | V0 |
|--|----|
| 3 | |

Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
| | No hazardous substances above threshold values |

Approvals

| Approvals |
|-----------|
|-----------|

Approvals

EAC

Ex Approvals

Approval details

EAC **E B**.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8

32825 Blomberg

Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2202730