

# Electronic housing - ME 35 UT BUS/10 BK - 2278584

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, length: 99 mm, Lower part, color: black, width: 35 mm, height: 114.5 mm

### Your advantages

- ▼ Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- ☑ Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail



# **Key Commercial Data**

| Packing unit           | 10 pc           |
|------------------------|-----------------|
| Minimum order quantity | 250 pc          |
| GTIN                   | 4 046356 302210 |
| GTIN                   | 4046356302210   |

### Technical data

#### General

| Housing type     | Component housing |
|------------------|-------------------|
| Housing material | Polyamide         |
| Color (RAL)      | black             |

### Ambient conditions

| Ambient temperature (storage/transport) | -40 °C 70 °C                            |
|---|---|
| Ambient temperature (assembly)          | -5 °C 100 °C                            |
| Ambient temperature (operation)         | -40 °C (depending on power dissipation) |

#### **Dimensions**



# Electronic housing - ME 35 UT BUS/10 BK - 2278584

# Technical data

## Dimensions

| Length | 99 mm    |
|--------|----------|
| Height | 114.5 mm |
| Width  | 35 mm    |
| Depth  | 99 mm    |

#### Technical data

| Power dissipation without gap    | 7.9 W  |
|----------------------------------|--------|
| Power dissipation with 20 mm gap | 16.3 W |
| Number of positions              | 24     |

### Standards and Regulations

| Flammability rating according to UL 94 | V0 |
|--|----|

## **Environmental Product Compliance**

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
|            | No hazardous substances above threshold values          |

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2278584