

## Type 1+2 protective device combination - SYS-SET/RRH 48DC - 2800272

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Set solution with lightning and surge arrester combination according to Type 1+2 for Radio Remote Heads (RRH) for 1-phase power supply networks.

RoHS

### Key Commercial Data

|              |                                                                                    |
|--------------|------------------------------------------------------------------------------------|
| Packing unit | 1 pc                                                                               |
| GTIN         |  |
| GTIN         | 4046356526333                                                                      |

### Technical data

#### General

|                                |                                         |
|--------------------------------|-----------------------------------------|
| Type                           | DIN rail module, two-section, divisible |
| Surge protection fault message | Optical, remote indicator contact       |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140201 |
| eCl@ss 4.1 | 27140201 |
| eCl@ss 5.0 | 27130801 |
| eCl@ss 5.1 | 27130800 |
| eCl@ss 6.0 | 27130800 |
| eCl@ss 7.0 | 27130808 |
| eCl@ss 8.0 | 27130808 |
| eCl@ss 9.0 | 27130808 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001457 |
| ETIM 4.0 | EC001457 |
| ETIM 5.0 | EC001457 |
| ETIM 6.0 | EC001457 |

## Type 1+2 protective device combination - SYS-SET/RRH 48DC - 2800272

### Classifications

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212010 |
| UNSPSC 7.0901 | 39121610 |
| UNSPSC 11     | 39121610 |
| UNSPSC 12.01  | 39121610 |
| UNSPSC 13.2   | 39121620 |
| UNSPSC 19.0   | 39121620 |

### Accessories

#### Accessories

#### Device marking

Zack marker strip - ZBN 18:UNBEDRUCKT - 2809128



Zack marker strip, Strip, white, unlabeled, can be labeled with: CMS-P1-PLOTTER, PLOTMARK, mounting type: snap into tall marker groove, for terminal block width: 18 mm, lettering field size: 18 x 5 mm, Number of individual labels: 5

#### End block

End clamp - CLIPFIX 35 - 3022218



Quick mounting end clamp for NS 35/7,5 DIN rail or NS 35/15 DIN rail, with marking option, width: 9.5 mm, color: gray

#### Labeled device marker

Marker for terminal blocks - ZBN 18,LGS:ERDE - 2749589



Marker for terminal blocks, Strip, white, labeled, horizontal: Grounding symbol, mounting type: snap into tall marker groove, for terminal block width: 18 mm, lettering field size: 18 x 5 mm, Number of individual labels: 5

## Type 1+2 protective device combination - SYS-SET/RRH 48DC - 2800272

### Accessories

Marker for terminal blocks - ZBN 18,LGS:L1-N,ERDE - 2749576



Marker for terminal blocks, Strip, white, labeled, horizontal: L1, L2, L3, N, GND, mounting type: snap into tall marker groove, for terminal block width: 18 mm, lettering field size: 18 x 5 mm, Number of individual labels: 5

---

### Marker pen

Marker pen - B-STIFT - 1051993



Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2800272](#)