

Device connector, front mounting - RC-12P2N8AWA00 - 1598286

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



The figure shows the 12-pos. product version with standard contact chamber numbering

Device connector for front wall, straight, shielded: yes, Screw locking, M23, No. of pos.: 12, type of contact: Pin, Crimp connection, Radial O-ring, $4x \otimes 3.2$



Key Commercial Data

| Packing unit | 40 pc |
|--------------|-----------------|
| GTIN | 4 046356 220033 |
| GTIN | 4046356220033 |

Technical data

Environmental Product Compliance

| REACh SVHC | Lead 7439-92-1 |
|------------|---|
| China RoHS | Environmentally Friendly Use Period = 50 |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Drawings

Schematic diagram





Device connector, front mounting - RC-12P2N8AWA00 - 1598286

| Approvals | | | |
|------------------|-----|--|---------|
| Approvals | | | |
| Approvals | | | |
| EAC | | | |
| Ex Approvals | | | |
| Approval details | | | |
| EAC | ERC | | B.01742 |

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1598286