

Series: GNSS Active Antenna

#### **TECHNICAL DATA SHEET**

Description: 26dBi GNSS Antenna Adhesive

mount, SMA

PART NUMBER: GNSSCGMSMA



### Features:

- Frequency 1559-1610MHz
- LNA Gain 26dB
- Current consumption 9mA
- High rejection filters
- Cable 5m RG-174, SMA-Male
- IP65
- Mounting with adhesive tape

## **Applications:**

- GPS, GLONASS, BeiDou, Compass, Galileo satellite navigation system
- Asset tracking, Fleet management, IoT, M2M
- Satellite navigation active antenna

All dimensions are in mm / inches

Issue: 1914

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 26dBi GNSS Antenna Adhesive

mount, SMA

PART NUMBER: GNSSCGMSMA

# Series: GNSS Active Antenna

## **ELECTRICAL SPECIFICATIONS**

Antenna Radiator Type		Ceramic chip
Frequency		1559-1610MHz
Nominal Impedance		$50~\Omega$
VSWR**		2.5:1
Radiation Pattern		Omni
Gain*		-2 / -1.5 / -2.5dBi
Efficiency*		35 / 40 / 35%
Polarization		Linear / Vertical
LNA gain		26 dB ± 2 dB
Noise Figure		2.5 (cascade) dB
Current		$9 \text{ mA} \pm 2 \text{ mA}$
Vdc		3-5Vdc
LNA and filter attenuation		
	@1500MHz	0dB
	@1640MHz	0dB
Filter attenuation		
	10-925MHz	50dB
	1427-1463MHz	32dB
	1710-1980MHz	40dB
	2400-2570MHz	30dB

2570-3000MHz

## \* Measured with 4 inch cables

\*\* Measured with 3 feet cables

27dB



Description: 26dBi GNSS Antenna Adhesive

mount, SMA

PART NUMBER: GNSSCGMSMA

**Series:** GNSS Active Antenna

## **MECHANICAL SPECIFICATIONS**

Antenna size 53 x 29.9 x 6.6mm

Weight 85.3g

Antenna Color / Material PC+ABS/Black

Connector type SMA-Male Cable type RG-174

Cable length 5000mm

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature  $-40 \sim 85^{\circ}$  C Storage Temperature  $-40 \sim 85^{\circ}$  C

Ingress Protection IP65
RoHS Compliant Yes

## **ASSEMBLY METHOD**

Mounting with Adhesive tape.

Tape is provided with antenna as separate piece.




Description: 26dBi GNSS Antenna Adhesive

mount, SMA

PART NUMBER: GNSSCGMSMA

## Series: GNSS Active Antenna

## **MECHANICAL DRAWING**





Description: 26dBi GNSS Antenna Adhesive


mount, SMA

PART NUMBER: GNSSCGMSMA

Series: GNSS Active Antenna

## **CHARTS**

## VSWR vs Frequency







Description: 26dBi GNSS Antenna Adhesive


mount, SMA

PART NUMBER: GNSSCGMSMA


**Series:** GNSS Active Antenna

### **CHARTS**

## Antenna element Peak Gain (Without LNA)



## Antenna element Radiation Efficiency (Without LNA)



Issue: 1914

RoHS



Description: 26dBi GNSS Antenna Adhesive


mount, SMA


PART NUMBER: GNSSCGMSMA

Series: GNSS Active Antenna

## **CHARTS**

## LNA Gain and out-of-band rejection











Description: 26dBi GNSS Antenna Adhesive


mount, SMA


PART NUMBER: GNSSCGMSMA


## **Series:** GNSS Active Antenna

### **CHARTS**

## Radiation Pattern 2D, Antenna element without LNA







Issue: 1914



Series: GNSS Active Antenna

#### **TECHNICAL DATA SHEET**

Description: 26dBi GNSS Antenna Adhesive

mount, SMA

PART NUMBER: GNSSCGMSMA

## **PACKAGING**

1pcs/ PE bag 50pcs/ Box



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

GNSSCGMSMA