



Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R



Features:

- Supports LTE 698-960/1695-2170/2300-2700/2900-3600MHz(MIMO)
- Supports Beidou, GPS, Galileo, GLONASS
- Direct Mount and optional Magnetic Mount features
- See GPSMBMM for magnetic mount details

Applications:

- Energy (Utility Vehicles)
- First Responders (Police, Ambulance, Fire)
- Fleet Management
- Location based services
- **Telematics**
- Railroad

All dimensions are in mm / inches

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information: Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Pulse GmbH & Do, KG VVancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

This document covers all product variants of the following product family

| Model No. | Color | Remark |
|-----------|-------|---|
| GPSMB301 | Black | |
| GPSMB302 | White | |
| GPSMB301R | Black | Compliant with EN 50155, EN 61373, EN45545-2, railroad application. |
| GPSMB302R | White | Compliant with EN 50155, EN 61373, EN45545-2, railroad application. |

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Pulse GmbH & Do, KG VVancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

ELECTRICAL SPECIFICATIONS

| Frequency (LTE) | | 698 – 960 /1695 -2170 / 2300 – 2700 / 2900 - 3600 | MHz |
|------------------------------|--------------|--|-----------------|
| Frequency (Beidou, GPS, Gali | eo, Glonass) | 1561.098±2.046/ 1575.42±1.023/ 1602.5625±4 | MHz |
| Nominal Impedance | | 50 | Ω |
| VSWR (LTE) | | < 1.5 | |
| Gain* (LTE antenna, < 2170 M | 1Hz) | 6 | $dBi\pm 1dB$ |
| Gain* (LTE antenna, > 2170 N | 1Hz) | 5.5 | dBi \pm 1 dB |
| Isolation LTE to LTE** | | 15 or better | dB |
| GNSS antenna RHCP gain | | 1 | dBic ±2dB |
| LNA gain | | 30 | dB ± 2 dB |
| Noise Fiqure | | 2.5 (cascade) | dB |
| Current | | 8 | mA ± 2 mA |
| V _{dc} | | 3-5 | V _{dc} |
| LNA and filter attenuat | ion | | |
| | @ 824 MHz | 70 | dB |
| | @ 960 MHz | 65 | dB |
| | @ 1710 MHz | 60 | dB |
| | @ 2170 MHz | 65 | dB |
| Connector type | | SMA | |
| Cable type(s) | | RG-58 (LTE) / RG-174 (GPS) | |
| Length | | 17 | Feet |
| | | | |

*Measured on 2ft GND plane and with 4 inch cables

**In free space with 17ft cables

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



3



Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

MECHANICAL SPECIFICATIONS

Plastic radome for GPSMB301/GPSMB302

for GPSMB301R/GPSMB302R

Color

Ingress Protection

Weight

Mounting

ABS/PC Material UV Stabilized, UL-94HB

PC material, EN45545 R6 HL3 compliant

Black, White

IP67

~940 g

Direct or Magnetic options

ENVIRONMENTAL SPECIFICATIONS

| Operating temperature | -40-+85° C | | |
|-----------------------|---|--|--|
| Humidity | 95%RH @ +25°C for 12h and 55°C for 12h | | |
| Vibration | MIL-STD 810G, section 514.6 , 5-500 Hz, 60min/axis | | |
| Thermal Shocks | MIL-STD 810G, section 503.5, -40 to +85°C, 3 cycles | | |
| Drop Test | Minimum of one drop per axis – 4, 1 meter drops | | |

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

Tests for railroad certification per EN50155, EN61373, EN45545-2

| NO | T SN IN STAND | TEST DESCRIPTION | REFER STANDARD | TEST REPORT NO | RESULT(PASS/FAIL) |
|----|---|------------------------|-----------------------|-----------------|-------------------|
| 1 | 12.2.3 | Cooling test | | | |
| 2 | 12.2.4 | 12.2.4 Dry heat test | | DD20170919002 | PASS |
| 3 | 12.2.5 | Damp heat test, cyclic | | | |
| 4 | 12.2.6 | Supply overvoltages | EN 50155 | W01714200900E | PASS |
| 5 | Surges, electrostatic discharge and 12.2.7 transient burst susceptibility tests | | EN 50155 | E1710056-01E | PASS |
| 6 | 12.2.8 | Radio interference | | | |
| 7 | 12.2.9 | Insulation test | EN 50155 | E17110014-01E | PASS |
| 8 | 12.2.10 | Salt mist test | EN 50155 | | PASS |
| 9 | 12.2.11 | Vibration | EN 61373 | | |
| 9 | | Shock, and bump test | EN 61373 | DD20170919002 | |
| 10 | 12.2.12 | Watertightness test | EN 50155 | 1 | |
| 11 | 12.2.14 Low temperature storge test | | EN 50155 | | |
| 12 | / | fire & smoke | EN 45545-2 R15&R16 | TC 18 02 000528 | HL1&HL2 |
| | | | EN 45545-2 R15&R16 | TC.18.04.001633 | HL1&HL2&HL3 |



5




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

MECHANICAL DRAWING



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther


PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

Return loss and isolation in free space, LTE antennas**



GNSS isolation to LTE 1 and LTE 2 antenna*



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7




Description: MiMo LTE, GNSS Vehicle Mount Antenna


Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS



GNSS LNA performance



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther


PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna total efficiency with 2ft metal plate and 4 inch cables



Maximum 3D gain, LTE antenna with 2ft metal plate and 4inch cables



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

9




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 850MHz with 2ft metal plate and 4inch cables



Vertical plot front view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 850MHz with 2ft metal plate and 4inch cables



Vertical plot side view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 1900MHz with 2ft metal plate and 4inch cables



Vertical plot front view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



12




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 1900MHz with 2ft metal plate and 4inch cables



Vertical plot side view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 2500MHz with 2ft metal plate and 4inch cables



Vertical plot front view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



14




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 2500MHz with 2ft metal plate and 4inch cables



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 3250MHz with 2ft metal plate and 4inch cables



Vertical plot front view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



16




Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

LTE antenna radiation pattern at 3250MHz with 2ft metal plate and 4inch cables



Vertical plot side view

Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther


PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

BD2 RHCP patterns, measured with 4inch cables in free space



GPS & Galileo RHCP patterns, measured with 4inch cables in free space



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

GLONASS RHCP patterns, measured with 4inch cables in free space



Issue: 1823

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: MiMo LTE, GNSS Vehicle Mount Antenna

Series: Panther

PART NUMBER: GPSMB301, GPSMB302, GPSMB301R, GPSMB302R

CHARTS

Envelope correlation coefficient - LTE 1 to LTE 2



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





One antenna pack in one PE bag, 6 antennae in one box

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse: GPSMB301 GPSMB302