

Description: RO, 10 dBi, 5.725-5.925 GHz, NF

# Series: Radome Omni

PART NUMBER: RO5810NF

### **Features:**

- Omnidirectional radiation
  pattern in H-plane
- 10/9 dBi Gain
- Stable gain and pattern across the operating band
- IP67
- N-Female connector

# **Applications:**

- 5 GHz ISM band
- DSRC
- WiFi 5.x GHz
- Indoor/Outdoor use





Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 1



Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

### **ELECTRICAL SPECIFICATIONS**

Antenna Type Frequency Nominal Impedance **VSWR** Radiation Pattern HPBW / Vertical Plane Gain (5.725-5.875 GHz) Gain (5.875-5.925 GHz) Efficiency Polarization Power Withstanding E.S.D. Protection

Collinear dipole array 5.725-5.925 GHz **50** Ω 2:1 Omni 8.5°±0.5° 10 dBi +/- 1 dB 9 dBi +/- 1 dB 70 % Vertical 20 W DC Grounded

#### **MECHANICAL SPECIFICATIONS**

**Overall Length** Weight Antenna Color / Material Connector type

434 mm 167.3 g White / Pultruded Fiberglass, UV-Protected N-Female

#### **ENVIRONMENTAL SPECIFICATIONS**

**Operating Temperature Ingress Protection** Wind-loading **RoHS** Compliant

-30° to +60° C **IP67** 241.4 km/h Yes

Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



2




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

# **MECHANICAL DRAWING**



#### All dimensions are in mm / inches

#### Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

### **CHARTS**



VSWR vs Frequency

#### Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

### CHARTS



Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

5




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

### **CHARTS**



#### **Efficiency vs Frequency RO5810NF**

Measured at Pulse, USA - Aug. 16, 2016

#### Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

# Series: Radome Omni

PART NUMBER: RO5810NF

#### CHARTS



Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7




Description: RO, 10 dBi, 5.725-5.925 GHz, NF

# Series: Radome Omni

PART NUMBER: RO5810NF

#### CHARTS





8

Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Description: RO, 10 dBi, 5.725-5.925 GHz, NF

Series: Radome Omni

PART NUMBER: RO5810NF

### PACKAGING

Packaged one product per Poly-bag with product label attached to outside of bag.

# ASSEMBLY

Issue: 1632

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



9

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse: RO5810NF