

Description: 5GHz WiFi SMT Antenna

## Series: Embedded Antenna

PART NUMBER: W3714



## **Features:**

- Frequency: 4.9-6GHz
- Gain: 4.5dBi
- Size: 10.5 x 3.2 x 2.4 mm
- SMT compatible
- Packing: Tape&Reel
- RoHS compliant
- Mirror image pair for this antenna is W3713

# **Applications:**

- WiFi, ISM 5GHz
- DSRC 5.925GHz
- Tablets, Notebooks
- IoT and M2M devices
- Portable Electronics
- Security, Transportation

#### All dimensions are in mm / inches

#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



1



Description: 5GHz WiFi SMT Antenna

Series: Embedded Antenna

PART NUMBER: W3714

## **ELECTRICAL SPECIFICATIONS**

| Frequency               | 4.9-6GHz        |
|-------------------------|-----------------|
| Nominal Impedance       | 50Ω             |
| VSWR                    | 2:1             |
| Gain (Radiating element | 4.5dBi +/- 1 dB |
| Radiation Pattern       | Omni            |
| Polarization:           | Linear          |
| Power withstanding      | 5W              |

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



Series: Embedded Antenna

Description: 5GHz WiFi SMT Antenna

PART NUMBER: W3714

# MECHANICAL SPECIFICATIONSMaterialPhosphor bronzeThickness0.2Material0.2Weight0.1Overall Length10.5(0.41)Fixing systemSMT

## **ENVIRONMENTAL SPECIFICATIONS**

**Operating temperature** 

-40/+85 °C

Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3





Description: 5GHz WiFi SMT Antenna

## Series: Embedded Antenna

PART NUMBER: W3714

## **MECHANICAL DRAWING**





#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4




Description: 5GHz WiFi SMT Antenna

Series: Embedded Antenna


PART NUMBER: W3714

## **OTHER SPECIFICATIONS**

PCB LAYOUT: 1, PCB material, FR4, size, 76.2X76.2X0.8mm



2, Clearance area (Top)



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5




Series: Embedded Antenna

Description: 5GHz WiFi SMT Antenna


PART NUMBER: W3714

## **OTHER SPECIFICATIONS**

3, Clearance area (Bottom)



# 4, PCB Features



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION COMPLANT This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



6




Description: 5GHz WiFi SMT Antenna

Series: Embedded Antenna

PART NUMBER: W3714

## **OTHER SPECIFICATIONS**



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7



Description: 5GHz WiFi SMT Antenna

# Series: Embedded Antenna

PART NUMBER: W3714

## **OTHER SPECIFICATIONS**

# **Recommendation for reflow soldering process**

Printing stencil thickness 0,15 - 0,25 mm is recommended for the solder paste. The maximum soldering temperature should not exceed 260°C. The temperature profile recommendations for reflow soldering process is presented in the Figures 1 and 2. The reflow profile presented in figure 1 describes minimum reflow temperatures. The reflow profile presented in figure 2 describes maximum reflow temperatures. located at the center of the coverage area.

|   | Method of heat transfer                    | Controlled hot air convection |
|---|--|-------------------------------|
| 1 | Average temperature gradient in preheating | 2.5 °C/s                      |
| 2 | Soak time                                  | 2-3 minutes                   |
| 3 | Max temperature gradient in reflow         | 3 °C/s                        |
| 4 | Time above 217 °C                          | Max 30 sec                    |
| 5 | Peak temperature in reflow                 | 230 °C for 10 seconds         |
| 6 | Temperature gradient in cooling            | Max -5 °C/s                   |




Figure 1. Minimum temperature profile recommendation for reflow soldering process

#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8



Description: 5GHz WiFi SMT Antenna

# Series: Embedded Antenna

PART NUMBER: W3714

## **OTHER SPECIFICATIONS**

|   | Method of heat transfer                    | Controlled hot air convection |
|---|--|-------------------------------|
| 1 | Average temperature gradient in preheating | 2.5 °C/s                      |
| 2 | Soak time                                  | 2-3 minutes                   |
| 3 | Max temperature gradient in reflow         | 3 °C/s                        |
| 4 | Time above 217 °C                          | Max 60 sec                    |
| 5 | Time above 230 °C                          | Max 50 sec                    |
| 6 | Time above 250 °C                          | Max 10 sec                    |
| 7 | Peak temperature in reflow                 | 260 °C for 5 seconds          |
| 8 | Temperature gradient in cooling            | Max -5 °C/s                   |




Figure 2. Maximum temperature profile recommendation for reflow soldering process

#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




9



Description: 5GHz WiFi SMT Antenna

Series: Embedded Antenna

PART NUMBER: W3714



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: 5GHz WiFi SMT Antenna

# Series: Embedded Antenna

PART NUMBER: W3714

# CHARTS

# Efficiency(%)



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Description: 5GHz WiFi SMT Antenna

# Series: Embedded Antenna

PART NUMBER: W3714

## CHARTS

# Peak Gain (dBi)



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: 5GHz WiFi SMT Antenna

# Series: Embedded Antenna

PART NUMBER: W3714

## CHARTS

# Free Space Radiation Pattern



#### Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Series: Embedded Antenna

Description: 5GHz WiFi SMT Antenna

PART NUMBER: W3714

## PACKAGING

Tape and Reel packing: 3000PCS/Tape and Reel 6000PCS/ Carton box

Tape Width : 24mm Tape Material : Polystyrene





Issue: 1812

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse: W3714