## SM656A44811FP

Hyde Park, Ultrasonic sensor, analog, current (mA), subcompact flat profile, 15 24 V DC



#### Main Range of Product Hyde Park Sensor Type Ultrasonic sensor Series name Superprox 600 SM656 Device short name Flat form subcompact Sensor design [Sn] nominal sensing 4.00 in (101.6 mm) distance Type of sensing window Fixed Material Plastic **Enclosure Material ULTEM** Front material Silicone rubber Type of output signal Analog Wiring Technique 4-wire [Us] rated supply 15...24 V DC overload and short-circuit protection voltage Supply voltage limits 13...28 V DC Analogue output range 4...20 mA direct Electrical connection 1 male connector M12 4 pins **Product Specific** Analog output

#### Complementary

[Sd] sensing range	0.974.00 in (24.6101.6 mm)	
Blind zone	2.01 in (51 mm)	
Transmission frequency	500 kHz	
Beam angle	10 °	
Minimum size of detected object	Cylinder diameter 1.59 mm - up to 63.5 mm sensing distance	
Current Consumption	50 mA	
Maximum switching current	100 mA reverse polarity protection	
Height	0.64 in (16.25 mm)	
Width	1.18 in (30 mm)	
Depth	0.64 in (16.25 mm)	
Length	3.32 in (84.32 mm)	
Net Weight	0.10 lb(US) (0.045 kg)	

Application

#### Environment

Product Certifications	UL	
Marking	CE	
NEMA degree of protection	NEMA 4X indoor use only)	
IP degree of protection	IP67	
Ambient air temperature for operation	32140 °F (060 °C)	
Ambient Air Temperature for Storage	-40212 °F (-40100 °C)	
Relative humidity	100 % without condensation	
Vibration resistance	+/-1 mm 1055 Hz)IEC 60068-2-6	
Shock resistance	30 gn in all 3 axes 11 ms IEC 60068-2-27	
Resistance to electromagnetic fields	9.14 V/m (10 V/m) level 3 IEC 61000-4-3	
Resistance to fast transients	1 kV level 3 IEC 61000-4-4	

### Ordering and shipping details

22490 - SENSORS-ULTRASONIC (XX5,6)	
DS2	
03389119108836	
1	
0.13 lb(US) (0.06 kg)	
No	
US	
	DS2 03389119108836 1 0.13 lb(US) (0.06 kg) No

### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
EU RoHS Directive	Not applicable, out of EU RoHS legal scope

### Contractual warranty

Warranty	18 months

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: SM656A44811FP