Product data sheet Characteristics

SMX120RMBP2U

APC Smart-UPS X 120V External Battery Pack Rack/Tower







Overview

Lead time Osually Snips within 2 weeks	Lead time	Usually Ships within 2 Weeks	
--	-----------	------------------------------	--

General

Provided equipment	Installation guide Rack mounting brackets

Physical

Number of rack unit	2U	
Colour	Black	
Depth	66.7 Cm	
Height	8.5 Cm	
Product weight	56.36 Kg	
Width	43.2 Cm	

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 %
Storage altitude	0.0015240.00 M

Batteries & Runtime

Number of battery blocks per string	10
Device mounting	Enclosed battery cartridge
Battery type	Lead-acid battery
Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	120 V

Packing Units

Package 1 Weight	63.64 Kg
Package 1 Height	24.3 Cm
Package 1 width	59.6 Cm
Package 1 Length	86.9 Cm
Number of Units in Package 3	8

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EV RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	₫ _{Yes}	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	☑ End Of Life Information	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and- lead compounds, which is known to the State of California to cause can- cer and birth defects or other reproductive harm. For more information go- to www.P65Warnings.ca.gov	
Take-back	Take-back program available	

Contractual warranty

Warranty	2 years repair or replace
vvarianty	2 years repair or replace

Product Life Status : Commercialised

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: SMX120RMBP2U