



Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually in Stock

Main

Number of rack unit	13U
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide User Manual

Physical

Color	Black
Height	22.52 in (57.2 cm)
Width	19.02 in (48.3 cm)
Depth	27.01 in (68.6 cm)
Net Weight	688.00 lb(US) (312.07 kg)
Mounting Mode	Rack-mounted

Conformance

Product Certifications	CSA
Standards	UL 1778

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0...15000 ft (0.00...4572.00 m)
Storage Relative Humidity	0...95 %

Batteries & Runtime

Battery Placement	Battery Cabinet
Battery Slots Empty	0
Included Battery Modules	0
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
RBC Quantity	9




Ordering and shipping details

Package weight(Lbs)	800.68 lb(US) (363.18 kg)
---------------------	---------------------------

Packing Units

Package 1 Height	30.98 in (78.7 cm)
Package 1 width	23.58 in (59.9 cm)
Package 1 Length	39.25 in (99.7 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	 REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	 Yes
Optimized Energy Efficiency	Energy efficient product
Take-back	Take-back program available

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric:

[SYARMXR9B9](#)