# Product data sheet Characteristics

### LIBSMG95MODB

## Li-Ion Battery 9540A - Battery Module Type B

#### Overview

Lead time Special Order - Call for Quoted Lead Times

#### General

Provided Equipment

| Physical       |                      |  |
|----------------|----------------------|--|
| Color          | Gray                 |  |
| Depth          | 16.30 in (41.4 cm)   |  |
| Height         | 6.42 in (16.3 cm)    |  |
| Product Weight | 37.48 lb(US) (17 kg) |  |
| Width          | 8.50 in (21.6 cm)    |  |

User Manual

#### Conformance

| Product Certifications | CE        |
|------------------------|-----------|
|                        | UL Listed |

#### Environmental

| Ambient Air Temperature for Operation | 6482 °F (1828 °C) |
|---------------------------------------|-------------------|
| Ambient Air Temperature for Storage   | 32104 °F (040 °C) |
| Storage Relative Humidity             | 060 %             |

#### **Batteries & Runtime**

| Battery Slots Empty      | 0                    |
|--------------------------|----------------------|
| Included Battery Modules | 0                    |
| Battery manufacturer     | Samsung              |
| Battery Type             | Li-lon (Lithium Ion) |
| Battery power in VAh     | 0 VAh                |

#### Ordering and shipping details

| Package weight(Lbs) | 40.48 lb(US) (18.36 kg) |
|---------------------|-------------------------|
|                     |                         |

#### **Packing Units**

| Package 1 Height | 9.41 in (23.9 cm)  |
|------------------|--------------------|
| Package 1 width  | 11.50 in (29.2 cm) |
| Package 1 Length | 19.29 in (49 cm)   |

Warranty

3 years repair or replace

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric:

LIBSMG95MODB