XZCRV1511041C1

Jumper cable XZ, male straight M12 4 pin, female straight M12 4 pin, PVC 1 m



Main

Accessory / separate part category	Cabling accessory	
Accessory / Separate Part Type	Jumper cable	

Complementary

Complementary		
Jumper cable end 1	M12 male 4 pins straight screw-on	
Jumper cable end 2	M12 female 4 pins straight screw-on	
Collar material	Metal	
Cable composition	4 x 0.25 mm²	
Cable length	3.28 ft (1 m)	
Wire insulation material	PVC	
Cable outer diameter	0.18 in (4.6 mm)	
[Ue] rated operational voltage	250 V AC 300 V DC	
Line Rated Current	3 A	
Insulation resistance	>= 1000 MOhm	
Maximum resistance across terminals	5000 mOhm	
Net Weight	0.15 lb(US) (0.07 kg)	

Environment

IP Degree of Protection	IP67 IP65
Product Certifications	cULus
Ambient air temperature for operation	-13176 °F (-2580 °C) static
Ambient Air Temperature for Storage	-13176 °F (-2580 °C)

Ordering and shipping details

Category	22483-MACHINE CABLES
Discount Schedule	DS3
GTIN	3389119073714
Returnability	No
Country of origin	PL

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.59 in (1.5 cm)	
Package 1 Width	5.12 in (13.0 cm)	
Package 1 Length	5.51 in (14.0 cm)	

Package 1 Weight	2.08 oz (59.0 g)
Unit Type of Package 2	S02
Number of Units in Package 2	50
Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	7.23 lb(US) (3.28 kg)
Package 3 Height	5.91 in (15 cm)
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EV RoHS Declaration
Mercury free	Yes
RoHS exemption information	₫Yes


Contractual warranty

Contractadi Warranty	
Warranty	18 months

Product data sheet Dimensions Drawings

XZCRV1511041C1

Dimensions




L: Lenght of cable

Product data sheet Connections and Schema

XZCRV1511041C1

Connections and Schemes



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: XZCRV1511041C1