XZCC12FDM50B

female, M12, 5-pin, straight connector - cable gland Pg 7

Product availability: Stock - Normally stocked in distribution facility



Main	
Accessory / separate part category	Cabling accessories
Accessory / separate part type	Connector
Electrical connection	Straight female connector M12, 5 pins
Collar material	Metal
Status LED	Without
Cable connection	Screw terminal / wire size <= 0.75 mm² / clamping capacity 0.120.24 in (36 mm)

Complementary

D 7	
Pg /	
Screw-on	
30 V AC	
30 V DC	
3 A	
Plastic	
> 1000 GΩ	
<= 8000 μOhm	
0.04 lb(US) (0.02 kg)	
	30 V AC 36 V DC 3 A Plastic > 1000 GΩ <= 8000 μOhm

Environment

IP degree of protection	IP67
Ambient air temperature for operation	-40185 °F (-4085 °C)

Ordering and shipping details

Category	22483 - MACHINE CABLES	
Discount Schedule	DS3	
GTIN	003389110806274	
Nbr. of units in pkg.	1	
Package weight(Lbs)	5.9999999999998E-2	
Returnability	Υ	
Country of origin	HU	

Offer Sustainability

RoHS (date code: YYWW)	Compliant - since 0726 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov


Warranty period

18 months

Product data sheet Dimensions Drawings

XZCC12FDM50B

Dimensions



(1) Cable gland : no. 7 plastic (Pg 7)

Product data sheet Connections and Schema

XZCC12FDM50B

Connections and Schemes



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: XZCC12FDM50B