XZCP1965L10

pre-wired connectors XZ - elbowed female - 1/2"20 UNF - 3 pins - cable PUR 10m

Green Premium™ Product

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part category	Cabling accessory
Accessory / separate part type	Pre-wired connectors
Series name	General purpose

Complementary

Electrical connection	1/2"20 UNF, 3 pins elbowed female connector
Cable connector fixing	Screw-on
Collar material	Metal
Status LED	Without
Cable length	32.81 ft (10 m)
Cable outer diameter	0.2 in (5.2 mm)
Cable composition	3 x 0.34 mm²
Wire insulation material	PUR
System Voltage	250 V AC 300 V DC
Line Rated Current	4 A
Contact resistance	5000 µOhm
Insulating resistance	1 GΩ
Product weight	0.88 lb(US) (0.4 kg)

Environment

IP degree of protection	IP67
Product certifications	cULus
Ambient air temperature for operation	-31...194 °F (-35...90 °C) (static) 23...194 °F (-5...90 °C) (flexing)
Ambient air temperature for storage	-31...212 °F (-35...100 °C)

Ordering and shipping details

|	
Category	22499 - SENSORS ACCESSORIES
Discount Schedule	DS2
GTIN	00785901779063
Nbr. of units in pkg.	1
Package weight(Lbs)	0.7700000000000002
Returnability	N
Country of origin	CZ

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0649 - Schneider Electric declaration of conformity ⤴Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Available
California proposition 65	WARNING: This product can expose you to chemicals including:
- - - - - - - Substance 1	Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and
- - - - - - - Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
- - - - - - - More information	For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty period	18 months

Life Is On | Schneider Electric

XZCP1965L10

Dimensions

Life Is On | Schneider Electric

mm
in.

Ø14.5
Ø0.57

26.6
1.05

0.7
0.02

1/2"-20UNF-2B

31
1.22

12
0.47

L

Ø8.8
Ø0.35

Ø10.3
Ø0.41

L :   Lenght of cable

Connections and Schemes

Connectors

GN : Green
RD/ Red / White
WH :
RD/ Red / Black
BK :

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric](#):

  [XZCP1965L10](#)