Product data sheet Characteristics

GV3D11

TeSys GV3 - shunt trip - 110 V AC 50Hz

Product availability: Non-Stock - Not normally stocked in distribution facility



Main

Range	TeSys
Device short name	GV3D
Product or component type	Shunt trip

Complementary

Product compatibility	GV3ME
[Uc] control circuit voltage	110 V AC 50 Hz 120 V AC 50 Hz 120 V AC 60 Hz 127 V AC 50 Hz 127 V AC 60 Hz
Control circuit voltage limits	0.81.1 Un
[Ui] rated insulation voltage	600 V AC CSA C22.2 No 14 600 V AC UL 508 690 V AC IEC 60947-1
Threshold tripping voltage	0.70.35 Un
Inrush power in VA	12 VA AC
Inrush power in W	7 W DC
Hold-in power consumption in VA	7 VA AC
Hold-in power consumption in W	2.5 W DC
Operating time	15 ms IEC 60947-1
On-load factor	100 %
Connections - terminals	Screw clamp terminals 1 0.752.5 mm² flexible without cable end Screw clamp terminals 2 0.752.5 mm² flexible without cable end Screw clamp terminals 1 0.752.5 mm² flexible with cable end Screw clamp terminals 2 0.752.5 mm² flexible with cable end Screw clamp terminals 1 00 in² (12.5 mm²) solid Screw clamp terminals 2 00 in² (12.5 mm²) solid
Tightening torque	1.2 N.m screw clamp terminals
Mechanical durability	15000 cycles
Quantity per set	Set of 10
Product weight	0.15 lb(US) (0.07 kg)

Ordering and shipping details

22366 - MAN STR PROTECTORS-GV1/GV3	
l11	
00785901258131	
1	
0.16	
N	
FR	
	I11 00785901258131 1 0.16 N

Offer Sustainability

RoHS (date code: YYWW)	Compliant - since 0723 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACh	Reference contains SVHC above the threshold - Go to CaP for more details- Go to CaP for more details
California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer.
More information	For more information go to www.p65warnings.ca.gov

Warranty period 18 months	
Warranty period ro months	
••	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric:

GV3D11