GVAU226

TeSys GV2 & GV3 - undervoltage trip - 220...240 V AC 60 Hz



Product availability: Stock - Normally stocked in distribution facility



Main Range TeSys Device short name GVAU Product or component Undervoltage trip

Complementary

Complementary	
Product compatibility	GV2ME
	GV2P GV2L
	GV2L GV2LE
	GV3P
	GV3L
[Uc] control circuit voltage	220240 V AC 60 Hz
Control circuit voltage limits	0.851.1 Un
[Ui] rated insulation voltage	600 V AC CSA C22.2 No 14
	600 V AC UL 508
	690 V AC IEC 60947-1
Threshold tripping voltage	0.70.35 Un
Inrush power in VA	12 VA AC
Inrush power in W	8 W DC
Hold-in power consumption in VA	3.5 VA AC
Hold-in power consumption in W	1.1 W DC
Operating time	1015 ms IEC 60947-1
On-load factor	100 %
Connections - terminals	Screw clamp terminals 1 0.752.5 mm² flexible without cable end
	Screw clamp terminals 2 0.752.5 mm² flexible without cable end
	Screw clamp terminals 1 0.751.5 mm² flexible with cable end
	Screw clamp terminals 2 0.751.5 mm² flexible with cable end
	Screw clamp terminals 1 00 in ² (12.5 mm ²) solid
	Screw clamp terminals 2 00 in ² (12.5 mm ²) solid
Tightening torque	< 1.4 N.m screw clamp terminals
Mechanical durability	10000 cycles with GV3P and GV3L
	30000 cycles with GV2ME and GV2P
Quantity per set	Set of 10
Product weight	0.23 lb(US) (0.105 kg)

Ordering and shipping details

Category	22367 - MANUAL STR PROTECTOR - GV2
Discount Schedule	l11
GTIN	00785901212539
Nbr. of units in pkg.	1
Package weight(Lbs)	0.260000000000001

Returnability	Υ
Country of origin	CZ
Offer Sustainability	
Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0701 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations
California proposition 65	WARNING: This product can expose you to chemicals including:

Contractual warranty

---- More information

----- Substance 1

Warranty period	18 months	

cause cancer.

Antimony oxide & Antimony trioxide, which is known to the State of California to

For more information go to www.p65warnings.ca.gov

GVAU•••



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric:

GVAU226